



Micro/Type-C/iPX 3 Input

MINI METAL

G64 PRO- 5000mAh

G65 PRO- 10000mAh

Type-C Input: DC 5V/2.1A(Max)

Micro Input : DC 5V/2.1A(Max)

Lightning Input : DC 5V/1A

Output(Total): DC 5V/2.1A(Max)

Type-C Output: DC 5V/2.1A(Max)

USB Output: DC 5V/2.1A(Max)

G64- 5000mAh

G65- 10000mAh

Micro Input: DC 5V/2.1A(Max)

Output(Total): DC 5V/2.1A(Max)

Output1: DC5V/1A

Output2: DC 5V/2.1A(Max)

G64 Size : 62.5*12.85*89mm

G65 Size : 63*23*89mm



3 Output & Micro/Type-C Input

METAL

G66-20000mAh

Type-C Input: DC 5V/2.1A(Max)

Micro Input: DC 5V/2.1A(Max)

Output(Total): DC5V/2.4A(Max)

Output1: DC5V/2.4A(Max)

Output2: DC 5V/2.4A(Max)

Output3: DC 5V/2.4A(Max)

Size : 70.54*26.6*133mm



Micro/Type-C Input

MINI METAL

G68-10000mAh

Type-C Input: DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 Output1: DC5V/1A
 Output2: DC 5V/2.1A(Max)
 Size : 51.4*23.9*118.5mm

G67-5000mAh

Type-C Input: DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 Output: DC 5V/2.1A(Max)
 Size : 51.4*14.2*118.5mm



SMART MINI

G78-5000mAh

Micro Input : DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 USB Output 1: DC 5V/1A
 USB Output 2: DC 5V/2.1A(Max)
 Size : 51*13*119.6mm

G79-10000mAh

Micro Input : DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 USB Output 1: DC 5V/1A
 USB Output 2: DC 5V/2.1A(Max)
 Size : 51*23*119.65mm



PUDDING

G76-5000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 50.5*13*118mm

G77-10000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 50.6*23*117.65mm



FABRIC-TEXTURE

G61-5000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 63.15*12.7*90.7mm
Weight: 101.2g

G62-10000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 63*22.5*90.6mm
Weight: 176g

G63-20000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 68.9*27.5*124.3mm
Weight: 365.3g



BUILT-IN CABLE

Power bank with iPX or Type-C connectors

G72-5000mAh

Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output : DC 5V/2.1A(Max)
Cable Output : DC 5V/2.1A(Max)
Size : 65*14*94mm

G73-10000mAh

Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output : DC 5V/2.1A(Max)
Cable Output : DC 5V/2.1A(Max)
Size : 65.5*23.6*94mm



BUILT-IN CABLE

With lightning & type-C connectors

G74-10000mAh

Input : DC 5V/2.1A(Max)
USB Output : DC 5V/2.1A(Max)
Size : 64.25*23.5*105.42mm

DIGITAL DISPLAY



G59-10000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 63.2*22*89.95mm
Weight: 180g

G60-20000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A
Size : 64.35*23.4*152mm
Weight: 360g



White Light/Warm Light
(Three levels for each Light)

LED POWER BANK

D100-10000mAh

Micro Input : DC 5V/2.1A(Max)
Type-C Input: DC 5V/2.1A(Max)
Type-C Output : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A
Size : 90*25.5*90mm

WIRELESS POWER BANK



W8-5000mAh

Input:DC5V/2.1A(Micro/Type-C)
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Wireless Output: DC5V/1A(Max)
Size: 63.15*14.33*100.6mm

W9-10000mAh

Input:DC5V/2.1A(Micro/Type-C)
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Wireless Output: DC5V/1A(Max)
Size: 63.2*24.5*101mm

W10-20000mAh

Input:DC5V/2.1A(Micro/Type-C)
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Wireless Output: DC5V/1A(Max)
Size: 68.5*27.35*135.96mm



YOUNG

G56-10000mAh

G57-20000mAh

Micro Input: DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
Output1: DC5V/1A
Output2: DC 5V/2.1A(Max)
G56 Size: 69.66*15.6*142.66 mm Weight: 235g
G57 Size: 69.75*28*142.65 mm Weight: 410g



Type-C Three Output

G53-10000mAh

Type-C Input: DC 5V/2.1A(Max)
 Type-C Output : DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 Output1: DC5V/1A(Max)
 Output2: DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)

G53 PD+QC-10000mAh

Type-C Input: DC 5V/3A, 9V/2A, 12V/1.5A
 Micro Input : DC 5V/3A, 9V/2A, 12V/1.5A
 Total Output: 18W (PD+QC)
 USB Output: DC 5V/2.1A(Max)
 Type-C Output : DC5V/3A, 9V/2A, 12V/1.5A
 QC USB Output : DC 5V/3A, 9V/2A, 12V/1.5A
 Size: 69*16*137.6 mm Weight: 227g



Type-C Three Output

G54-20000mAh

G55-30000mAh

Type-C Input: DC 5V/2.1A(Max)
 Type-C Output : DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 Output1: DC5V/1A(Max)
 Output2: DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 G54 Size: 73*28.4*148.5 mm Weight: 404g
 G55 Size: 77*40.7*150.6 mm Weight: 590g

PD+QC

G54 PD+QC-20000mAh

G55 PD+QC-30000mAh

Type-C Input: DC 5V/3A, 9V/2A, 12V/1.5A
 Micro Input : DC 5V/3A, 9V/2A, 12V/1.5A
 Total Output: 18W (PD+QC)
 USB Output: DC 5V/2.1A(Max)
 Type-C Output : DC5V/3A, 9V/2A, 12V/1.5A
 QC USB Output : DC 5V/3A, 9V/2A, 12V/1.5A



Type-C Mini Diamond PD+QC

G51 PD+QC-10000mAh

Type-C Input: DC 5V/3A, 9V/2A, 12V/1.5A
 Micro Input : DC 5V/3A, 9V/2A, 12V/1.5A
 Total Output: 18W (PD+QC)
 Type-C Output : DC5V/3A, 9V/2A, 12V/1.5A
 QC USB Output : DC 5V/3A, 9V/2A, 12V/1.5A
 Size : 23.8*63.3*99mm
 Weight: 205g

G51-10000mAh

Type-C Input: DC 5V/2.1A(Max)
 Type-C Output : DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 USB Output: DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 Size : 23.8*63.3*99mm

G50-5000mAh

Type-C Input: DC 5V/2.1A(Max)
 Type-C Output : DC 5V/2.1A(Max)
 Micro Input: DC 5V/2.1A(Max)
 USB Output: DC 5V/2.1A(Max)
 Output(Total): DC 5V/2.1A(Max)
 Size : 61.5*13.7*95.4mm
 Weight: 120g



Mini Diamond

G70-5000mAh

Micro Input: DC 5V/2.1A(Max)
 USB Output1: DC 5V/1A(Max)
 USB Output2: DC 5V/2.1A(Max))
 Output(Total): DC 5V/2.1A(Max)
 Size : 61.5*13.7*95.4mm
 Weight: 120g

G71-10000mAh

Micro Input: DC 5V/2.1A(Max)
 USB Output1: DC 5V/1A(Max)
 USB Output2: DC 5V/2.1A(Max))
 Output(Total): DC 5V/2.1A(Max)
 Size : 23.8*63.3*99mm
 Weight: 205g



MINI POWER BANK

G41-5000mAh

Input: DC5V/1A(Max)
Output: DC5V/1A(Max)
Size: 12.6*62.4*89.3 mm
Weight: 105g

G42-10000mAh

Input: DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
Output1: DC 5V/1A
Output2: DC 5V/2.1A
Size: 63*22*89.5 mm
Weight: 175g

G44-20000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1 : DC 5V/1A
USB Output 2 : DC 5V/2.1A
Size : 64*23.5*152mm
Weight: 345g

FULL SCREEN + DIGITAL DISPLAY

G45-10000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 63.2*22*89.95mm
Weight: 180g

G46-20000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A
Size : 64.35*23.4*152mm
Weight: 360g



FULL SCREEN + DIGITAL DISPLAY

10000mAh



G37

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 70*16*134mm Weight: 210g

G37-C

Micro Input: DC 5V/2.1A (Max)
Type-C Input: DC 5V/2.1A (Max)
Type-C Output: DC 5V/2.1A (Max)
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 70*16*134mm Weight: 210g

5000mAh



G36

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output: DC 5V/2.1A (Max)
Size: 65.5*10.1*133mm
Weight: 120g

G36-C

Micro Input: DC 5V/2.1A (Max)
Type-C Input: DC 5V/2.1A (Max)
Type-C Output: DC 5V/2.1A (Max)
Output(Total): DC 5V/2.1A (Max)
Output: DC 5V/2.1A (Max)
Size: 65.5*10.1*133mm
Weight: 120g

FULL SCREEN + DIGITAL DISPLAY



PD + QC

G48 PD+QC-15000mAh

G49PD+QC-20000mAh

Type-C Input: DC 5V/3A, 9V/2A, 12V/1.5A
Micro Input : DC 5V/3A, 9V/2A, 12V/1.5A
Total Output: 18W (PD+QC)
USB Output: DC 5V/2.1A
Type-C Output : DC5V/3A, 9V/2A, 12V/1.5A
QC USB Output : DC 5V/3A, 9V/2A, 12V/1.5A
G48 Size: 69*21*133mm Weight: 285g
G49 Size: 74*22.1*149.5mm Weight: 350g

G48-15000mAh

G49-20000mAh

Input: DC 5V/2.1A(Max)
Type-C Input: DC 5V/2.1A(Max)
Type-C Output: DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
Output1: DC5V/1A(Max)
Output2: DC 5V/2.1A(Max)

WIRELESS+FULL SCREEN DIGITAL DISPLAY



5W Wireless+Type-C Input/Output

W6-10000mAh

Type-C Input: DC 5V/2.1A(Max)
Type-C Output: DC 5V/2.1A(Max)
Micro Input: DC 5V/2.1A(Max)
Wireless Output: 5W
USB Output1: DC5V1A
USB Output2: DC5V2.1A(Max)
Size : 69*21*133mm
Weight: 285g

W5-8000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Wireless Output: DC5V/1A(Max)
Size: 70*16*134mm
Weight: 210g



PHANTOM STYLE DESIGN SERIES

G38-5000mAh

Micro Input: DC5V/1A(Max)
Output: DC 5V/1A (Max)
Size: 66.6*9.3*129.1 mm
Weight: 118g

G39-10000mAh

Micro Input: DC 5V/2.1A (Max)
Output(total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 69 *15.5 *132 mm
Weight: 208g

G40-20000mAh

Input: DC 5V/2.1A (Max)
Output(total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 78*22.5*148 mm
Weight: 369g



FASHIONABLE FABRIC DESIGN

G31-10000mAh

Micro Input: DC 5V/2.1A (Max)
 Lightning Input : DC 5V/1A
 Output(Total): DC 5V/2.1A (Max)
 Output1: DC 5V/1A (Max)
 Output2: DC 5V/2.1A (Max)
 Size: 71*17.9*136.5mm
 Weight: 205g

EDGE

5000mAh/10000mAh/15000mAh



EDGE5-5000mAh

Micro Input: DC 5V/2.1A (Max)
 Lightning Input : DC 5V/1A
 Output: DC 5V/2.1A (Max)
 Size: 63.5*9*123.5mm
 Weight: 120g

EDGE10-10000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 66*15*129.5mm
Weight: 210g



Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/4.2A (Max)
Output: DC 5V/2.1A&5V/2.1A (Max)
Size: 75.5*21.5*140.5mm
Weight: 312g

EDGE15-15000mAh

CANDY3 CANDY10



Input: DC 5V/1A (Max)
Output: DC 5V/1A (Max)
Size: 48*9.5*120mm

G75-3000mAh

Micro Input : DC 5V/2.1A(Max)
Output(Total): DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Size : 68*16*135mm

G80-10000mAh

BOOK^{5000mAh/10000mAh/20000mAh} POWER BANK



G28-5000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output: DC 5V/2.1A (Max)
Size: 70.5*11*124.5mm
Weight: 130g

G29-10000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 70.5*15*135mm
Weight: 212g

G30-20000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 75.9*22.5*152.5mm
Weight: 377g



Hive 3-3000mAh

Input: DC 5V/1A (Max)
Output: DC 5V/1A (Max)
Size: 48*9.5*120mm
Weight: 80g

Hive 10 - 10000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 64.5*14.5*132.5mm
Weight: 205g



MOSAIC

G24-5000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 71*10.5*128mm
Weight: 125g

G25-7000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 75*14.5*122.5mm
Weight: 130g

G26-10000mAh

Micro Input: DC 5V/2.1A (Max)
Lightning Input : DC 5V/1A
Output(Total): DC 5V/2.1A (Max)
Output1: DC 5V/1A (Max)
Output2: DC 5V/2.1A (Max)
Size: 71*15.5*140mm
Weight: 225g



WQ13

15W FAST WIRELESS CHARGING

Input: DC 5V-9V-2A Max Output: 15W Size:54*3.05*85.5mm



WIRELESS CHARGER 15W FAST CHARGE

WQ12

Input: DC 5V-9V-2A (Max)

Output: 15W (Max)

Size:φ86*5mm



DUAL WIRELESS CHARGER

WQ10

Input: DC 5V/2.1A Max
Output: DC5V/1A(5W) Max
Size:70*10*134mm



WQ3

WIRELESS CHARGING PAD

Input: DC 5V/1.5A Max Output: DC 5V/1A(5W) Max Size:Φ100mm*D6.7mm Weight: 65g



WQ4

FAST WIRELESS CHARGING PAD

Input: DC 5V/2.1A,9V/1.8A Max Output: DC5V-9V/1.5A(10W) Max Size:Φ100mm*D7mm Weight: 65g

WIRELESS CHARGER

Dual coil design,support IPX/IPXS/IPXR 7.5w Fast Charge

10W FAST CHARGE



WQ6

(METAL BRACKET DESIGN)

Input: DC 5V/2.1A,9V/1.8A Max
Output: DC5V-9V/1.5A(10W) Max
Size:70*10*134mm
Weight: 97g



WIRELESS CHARGER

Automatic power off when fully charged, avoiding long-time charging damage to your cell phone.

MAX 5W CHARGE



WQ7

(METAL BRACKET DESIGN)

Input: DC5V/1.5A Max
Output: DC5V/1A(5W)Max
Size:70*11.5*94mm
Weight: 69g





JADE PENDANT WIRELESS CHARGER

WQ8

Input: DC 5V/1.5A Max
Output: DC 5V/1A(5W) Max
Size:Φ88mm*D10.4mm
Weight: 60g



QI WIRELESS CHARGER

WQ5 PRO

Input: DC 5V/2.1A,9V/1.8A Max
Output: DC5V-9V/1.5A(10W) Max
Size:92*92*11.1mm
Weight: 52g

WQ5 QI CERTIFIED

Input: DC 5V/1.5A Max
Output: DC 5V/1A(5W) Max
Size:92*92*11.1mm
Weight: 52g





2.4A

GC-71

Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



GAME 2.4A

GC-68

Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging





PHONE-HOLDING 2.4A

GC-69

Material: TPE Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging

CAME CABLE 2.4A

GC-70

Material: TPE Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging





FLYING FISH

GC-65

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
2.4A fast charging

2.4A



FLYING FISH

2.4A

GC-64

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



USB CABLE 2A

GC-63

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.0A fast charging



DOUBLE SIDE USB 2.4A

GC-61

Material: TPE Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging





KIRSITE CABLE 2.4A

GC-62

Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



CD DESIGN 2.4A

GC-60

Material: TPE Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



GAIOPING 2.1A

GC-59

Material: TPE Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.1A fast charging



2.4A

GC-58

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging





POWER FAST CABLE 2.4A

GC-57

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging

ADAPTER

GC-31

Color: gold
Micro to OTG adapter
Micro to lightning adapter
Micro to type-C adapter



WAVE METAL 2.4A

GC-67

Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



WING USB CABLE 2.4A

GC-55

Braided Fabric , With Comfortable Handfeel
Ultra wear-resistant. Up To 30% Faster Charging
Than normal Cables.



SHUTTLE USB CABLE

2.4A

GC-54


Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



CAVALIERS 2.4A

GC-52

Material: Fabric Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging



3 IN 1 METAL USB CABLE

Ultra Quick Charge, Alloy Material, Super Strong,
Ultra Wear-resistant. Up To 30% Faster Charging Than Normal Cables.

GC-51

2.4A



PUDDING FAST CABLE 2.4A

GC-48

Material: Fabric Length: 100cm
Support: IPX/ Micro/ Type-C
Data transmission, 2.4A fast charging




KING OF GLORY USB CABLE

2.4A

GC-45

Durable connector (90° right angle) and cord.
Ultra wear-resistant. Up To 30% Faster Charging
Than normal Cables.





ARMOR 2.4A


GC-66

Material: PVC Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.4A fast charging

LED BRAIDED CABLE

Material: Nylon
Length: 100cm
Support: iPX/ Micro
Data transmission, 2.1A fast charging



GC-12



METAL BRAIDED CABLE

Material: Nylon
Support: iPX/ Micro
Data transmission, large Current,
2.1A fast charging

GC-10





2.4A Fast Charging

GC-46 (18pcs Micro, 6pcs iPX, 6pcs Type-C)
GC-47 (12pcs Micro, 12pcs iPX, 6pcs Type-C)

TUBE CABLE



GC-20

GC-20 - iPX & Micro 2 IN 1 CABLE

GC-27T - Micro & Type-C 2 IN 1 CABLE

Material: TPE
Length: 100cm
Support: Micro/ Type-C Micro/iPX
Data transmission, 2.1A fast charging





DIAMOND 3 IN 1 CABLE

Material: PVC
Length: 100cm
Support: iPX/ Micro/ Type-C
Data transmission, 2.1A charging

GC-27Y



LIGHTNING CABLE

Length: 100cm
Material: PVC
Support: iPhone5/5S/5c/ipad/6
/6 plus/6S/6S plus
Data Transmission, large Current,
1A Charging

GC-30



BRAIDED 3 IN 1 CABLE

Length: 100cm
Material: Nylon
Support: iPX/ Micro/ Type-C
Data Transmission, large Current,
2.1A fast Charging

GC-39

MINI CAR CHARGER



GF-C7 PD+QC
Input: DC12/24V
Type-C Output:PD 5V/3A,9V/2A,12V/1.5A
USB Output: DC 3.6~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A
Total Output:18W

GF-C6 DUAL USB
Input: DC12/24V
Output1: DC 5V/2.4A, Output2:DC 5V/2.4A
Output(Total):DC 5V/3.4A(Max)

GF-C5
Input: DC12/24V
Output: DC 5V/1A(Max)
High quality and easy to carry



GF-C1
Input:DC12/24V
Output: DC 5V/1A
One USB port
High quality and easy to carry

GF-C2
Input:DC12/24V
Output1: DC 5V/1A
Output2: DC 5V/2.1A
Total output:2.1A
Two USB ports
High quality and easy to carry

GF-CQ1
Input:DC12/24V
Output: DC 3.6V~6.5V/3A, 6.5V~9V/2A, 9V~12V/1.5A
High quality and quick charge

PD+QC GF-CQ2
Input: DC12/24V
Type-C Output:PD 5V/3A,9V/2A,12V/1.5A
USB Output: DC 3.6~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A
Total Output:18W

GF-C13

Input:DC12/24V
Output1: DC 5V/2.1A
Output2: DC 5V/2.1A
Total Output: DC 5V/2.1A(Max)
Two USB ports



MULTIFUNCTION CAR CHARGER 2.1A 2USB CAR CHARGER

GF-C14

Input: DC12/24V
Output1: DC 5V/2.1A Output2: DC 5V/2.1A
Output(Total):DC 5V/2.1A(Max)



GF-C06

Input:DC12/24V
Output1: DC 5V/1A
Output2: DC 5V/2.1A (Max)
Total Output: 2.1A
Two USB ports



LED DISPLAY CAR CHARGER

GF-C10

Input:DC12/24V
Output1: DC 5V/2.1A
Output2: DC 5V/2.1A
Total Output: DC 5V/2.1A (Max)
Two USB ports



GF-C12

Input:DC12/24V
Output1: DC 5V/2.1A
Output2: DC 5V/2.1A
Output3: DC 5V/2.1A
Total Output: DC 5V/2.1A (Max)
Three USB ports



GF-C11

Input:DC12/24V
Output1: DC 5V/2.1A
Output2: DC 5V/2.1A
Total Output: DC 5V/2.1A (Max)
Two USB ports




GF-UC22

Input: AC 100-240V 50/60Hz Max 0.2A

Output: DC 5V/1A

Support for EU/US/CN PLUG



GF-UC23

Input: AC 100-240V 50/60Hz Max 0.5A

Output: DC 5V/2.1A

Support for EU/US/CN PLUG



GF-U206C

GF-U206S

GF-U206Q

GF-U206

Type-C

GF-U206C

Input: AC 100-240V 50/60Hz Max 0.5A

Type-C Output: DC 5V/2.1A

USB Output: DC 5V/2.1A

Total Output: 2.1A (Max)

Support for EU/US/CN/ UK PLUG

GF-U206

Input: AC 100-240V 50/60Hz Max 0.5A

Output1: DC 5V/1A

Output2: DC 5V/2.1A

Total Output: 2.1A

Support for EU/US/CN/ UK PLUG

GF-U206Q

Input: AC 100-240V 50/60Hz Max 0.5A

Output: QC 3.6~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A

High quality and quick charge


Support for EU/US/CN/UK PLUG

GF-U206S

Input: AC 100-240V 50/60Hz Max 0.5A

Output: DC 5V/2.1A

Support for EU/US/CN/ UK PLUG



GF-U6 PD30W QUICK CHARGER

Input: AC100-240V~50/60Hz Max 800mA
Output: PD 5V/3A, 9V/2A, 15V/2A, 20V/1.5A Total Output: 30W
Support for EU/US/CN PLUG

GF-U9 2.1A 2USB CHARGER

Input: AC100-240V~50/60Hz Max 500mA
Output1: DC 5V/1A, Output2: DC 5V/2.1A
Output(Total): DC 5V/2.1A (10W)
Support for EU/US/CN PLUG

GF-U10 4.8A 4USB CHARGER

Input: AC100-240V~50/60Hz Max 600mA
Output1: DC 5V/1A, Output2: DC 5V/1A Output3: DC 5V/2.4A
Output4: DC 5V/2.4A Output(Total): DC 5V/4.8A (24W)
Support for EU/US/CN PLUG



GF-U7 PD+QC QUICK CHARGER

Input: AC100-240V~50/60Hz Max 600mA
USB Output: DC 3.6~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A
Type-C Output: PD 5V/3A, 9V/2A, 12V/1.5A Total Output: 18W
Support for EU/US/CN PLUG

GF-U8R SMART FLASH CHARGER

Input: AC100-240V~50/60Hz Max 600mA
Output: DC 5V/4A (20W)
Support for EU/US/CN PLUG

GF-U8Q QUICK CHARGER

Input: AC100-240V~50/60Hz Max 500mA
Output: DC 3.6~6.5V/3A, 6.5~9V/2A, 9~12V/1.5A
Total Output: 18W
Support for EU/US/CN PLUG



GF-U2

GF-U1

GF-U2S

GF-U1

Input:AC 100-240V 50/60Hz Max 0.2A
Output: DC 5V/1A
Support for EU/US/CN PLUG

GF-U2S

Input:AC 100-240V 50/60Hz Max 0.5A
Output: DC 5V/2.1A
Support for EU/US/CN PLUG

GF-U2

Input:AC 100-240V 50/60Hz Max 0.5A
Output1: DC 5V/1A
Output2: DC 5V/2.1A
Total Output: 2.1A
Support for EU/US/CN PLUG



GF-U3

GF-UR11

GF-UQ1



QUICK CHARGE 3.0 USB CHARGER

GF-UQ1

Input:AC 100-240V~50/60Hz Max 0.5A
Output:QC 3.6~6.5V/3A, 6.5~9V/2A, 9-12V/1.5A
High quality charger, high current output
Support for EU/US/CN PLUG

FLASH CHARGER





GF-UR11

Input:AC 100-240V 50-60Hz 0.8A
Output:DC 5V/4A

Support Flash Charging technology,
10 minutes' charging for 5 hours' call,
reducing heat loss by half, and fulfilling
real 4A fast charge.

GF-U3

Input:AC 100-240V 50/60Hz Max 0.5A
Output: DC 5V 1A/1A/2.4A
Total Output: 3.4A
Three USB ports
Support for EU/US/CN PLUG



GOLF®

www.golfhk.com.cn

GOLF®

Authorized and inspected by: GOLF INTERNATIONAL GROUP LIMITED
Address: Room C, 15/F, Hua Chiao Commercial Centre 678 Nathan Road, Mongkok, KL, HK.
Manufactured by: SHENZHEN GOLF & FEIHUANG TECHNOLOGY CO.,LTD
Address: Haosi West Industry Park, Shajing, Bao'an, Shenzhen, China.
Tel: +86-0755-27300993(China) China Service hotline: 400-6778-608
E-mail: info@golfhk.com.cn www.golfhk.com.cn



Follow our wechat



www.golfhk.com.cn

Copyright ©2019 GOLF, all rights reserved. GOLF is the holder of GOLF and GOLF Original accessories trademarks and registered trademarks.



2019 PHONE ACCESSORIES

GOLF®



History of GOLF

It is generally accepted that modern golf evolved in 15th century Scotland. The game did not find international popularity until the late 19th century, when it spread into the rest of the United Kingdom and then to the British Empire and the United States of America.

GOLF here means **G**reen(nature), **O**xygen(fresh air), **L**ight (sunlight), **F**riendship(making friendsthrough the game). For modern people, it is a terrific opportunity to stay close to nature, enjoy fresh air, sunshine and make friends, together with **GOLF**.

1 000 000 pcs
Monthly capacity

15000m²
Factory Area

500
Employees





GOLF brand is registered trademark of HONGKONG GOLF INTERNATIONAL GROUP LIMITED. Company was called to GOLF in short and was established in 1975 in HONGKONG. Fully committed to providing the product perfectly combined with technology and aesthetics in the global, main service field include new energy solutions, mobile terminal equipment, IT system integration, GOLF has established long-term partnerships with leading technology companies and carriers. To meet differentiated needs of global customers, GOLF spares no effort on innovative technology, superior industrial design, in-depth to the finest details, rigorous professional technical support services.

GOLF ShenZhen factory covers roughly 15000m², include 500 people in total, welcome OEM/ODM project from global customers. GOLF devotes to integrating a full range of core technology and the R&D team, covering digital communications, platform applications and forward-looking designs, focusing on the development of high-quality mobile electronic digital products, which include power banks in the field of mobile terminals, tablet computer peripherals, hand-held mobile device power, peripherals, and limit protection products, etc. With professional precise product positioning, consistently superior quality standards, personalized designs and wide range of solutions, GOLF gets followed by worldwide users of high-end electronic digital products, product was sold to Europe, Southeast area, USA and Africa market.

Exceeding customers' expectations every time and every interpretation of mobile technology are leading GOLF to a new height. You are invited to join our pleasant brand-new digital technology journey, sharing the GOLF spirit of "Green, Oxygen, Light , Friendship".



CONTENTS

POWER BANK.....	01-28
WIRELESS CHARGER.....	29-36
USB CABLE.....	37-62
CAR CHARGER.....	63-66
WALL CHARGER.....	67-72

