

Web: www.joymanufacturer.com
Mttps: //hkjoy.manufacturer.globalsources.com/
Office Add: Room302,Building A3,Fuhai InBay,Fuyong,Bao'an,Shenzhen,CN.
Factory Add 1: Kobe new industrial Zone,1st Fuyuan Rd,Fuyong,Bao'an,Shenzhen,CN
Factory Add 2: Foreign-funded Industrial Park No. 8 East Renmin North Road, Sihong Econ
Development Zone, Sugian City, Jiangsu Province

OEM&ODM

Soundbar & Bluetooth Speaker Manufacturer

ABOUT US

JOY Manufacturer Co.,Ltd was founded in 2011 at Shenzhen China, which is a leading manufacturer & exporter of creative audio products, such as soundbar,outdoor speaker and portable speaker. Since the business expanding fast,new factory Jiangsu HUAZU was established in 2018, which owned 60,000sqm factory, 20 R&D staff, more than 450 skilled workers. There are over 50 automatic assembly lines with advanced production equipments, we are professional on mold development,die casting and injection molding,SMT patch, production assembly,testing and automatic packaging,can meet the big capacity of 15-20K per day. JOY operates strictly under ISO9001-2015 quality management system. We are excellent in RD,ID&MD, both OEM&ODM projects are welcome. All our products meet the requirements of CE, FCC, ROHS. Our business philosophy is "Quality, Service and Responsibility"

Join us,win-win!

Enjoy the sound !Enjoy your life!





CONTENT

Soundbar 01-16		Bluetooth speaker 15-32		
C06	SW01	P01		
C08H/C08T	SW03	W1		
S01	SW05	W3		
S02	SW06	BM31		
S03	SW07	BM34		
S04		BM37		
S05		BM38		
S15		BF02		







Model: C06H

Bluetooth Version:JIELI V5.0+EDR Battery: 1200mAh Output Power: 4Ω 6W, Ø45mm Frequency Response:20HZ-20KHZ Support USB/TF/AUX-IN/ Hands-free calls/ LED Display TWS connection function Unit size:L395*W55*H72mm Weight: 631g



57		副	*		Q
HIFI	Long Play Time	Support TF card	Bluetooth 5.0	Intelligent	Mega Bass



Model: C08H/C08T

Bluetooth Version:Bluetrum V5.0+EDR Battery: 3.7V 1500mAh/7.4V 2000mAh (optional Output Power: 5W*2/10W*2 (optional) Frequency Range:130HZ-15KHZ Support USB/TF/AUX-IN/ Hands-free calls/ LED Light TWS connection function Unit size:L420*W61*H69mm







Power output:2*15W=30W R.M.S

Driver Unit: 2" *4 Power supply: DC 12V 24

2.0 CH Soundbar with Bluetooth



2.0 CH Soundbar with Bluetooth



Model : S02

Power output: 2*15W=30W R.M.S. (40W&50W optional Dimension(mm): L736×D90×H60mm Driver Unit: 2" *4 Power supply: DC 16V /1.12



Model : S03

Power output: 2*20W=40W R.M.S. (30W&50W option Dimension(mm): 1760×D90×H60mm Driver Unit: 2" *4 Power supply: DC 15V /1.6A

2.0 CH Soundbar with Bluetooth



2.0 CH Soundbar with Bluetooth



Model: S04

Power output: 2*25W=50W R.M.S (30W&40W optional) Dimension(mm): L940*H60*D90 mm Driver Unit: 2"*4+2"*2 Power supply: 15V 2.4A



Model: S05

Power output: 2 *30W =60W R.M.S Driver Unit: 2.25" *4 Power supply: 15V 3.5A Dimension(mm): L940*D60*H60mm

2.0 CH Soundbar with Bluetooth





Model: S15

Power output: 2 *30W =60W R.M.S Driver Unit: 2.25" *4 Power supply: 18V 3.5A Dimension(mm): L1000*D82*H



Model: SW01

Power output: 20W*2+ 30W=70W R.M.S Driver Unit: 2" X4 + 4" X1 Power supply: DC 15V /3.5A Dimension(mm): L1000*D60*H60mm Subwoofer Dimension(mm):160*310*370mm

🖉 🛛 👪 🛛 🖃 🖉 🖉 📴 🖉 Subwoofer so

ALCONO TO

2.1 CH wired Subwoofer soundbar with Bluetooth





Model: SW05

Power output: 30W*2+ 60W=120 W R.M.S. Driver Unit: 2.25 "speaker X4 + 6.5" subwoofer Power supply: DC 19V /2.5A Dimension(mm): L940*D73*H67mm Subwoofer Dimension(mm):160*280*335mm

Model: SW03

Power output: 20W*2+ 30W=70W R.M.S. Driver Unit: 2" X4 + 4"X1 Power supply: DC 15V 2.4A Dimension(mm): L900*D75*H40mm Subwoofer Dimension(mm): 150*240*217mm

🕗 🛛 🚯 🖿 🚱 🖉 📴 📝 🖉 🔽 🔽 🖸 📴 Subwoofer Sou

2.1 CH Wireless Subwoofer Soundbar with HDMI





Power output: 30W*2+ 60W=120 W R.M.S. Driver Unit: 2.25 "speaker X4 + 6.5" subwoofer Power supply: DC 19V /2.5A Dimension(mm): L950*D73*H67mm Subwoofer Dimension(mm):160*330*370mm



Model: SW06

Power output: 2*20W+30W=70W R.M.S. Driver Unit: 2"X4 +5.25" inch X 1 Power supply: DC 15V/3.5A Dimension(mm): L940*D60*H60mm Subwoofer Dimension(mm): 160*310*370mm



51		<u>ا</u>	₿		Ø
HIFI	Long Play Time	Support TF card	Bluetooth 5.0	Intelligent	Mega Bass



Model: P01

Bluetooth speaker with lighting Bluetooth Version: Bluetrum V5.0 Output Power: 4R 5W*2 Battery: 1500mAh Support TF/USB/FM Frequency response : 160Hz~15KHz Unit size: 187.5*70*34.5mm

18





Unit L88*W44*H88n



53		۲	*		Ø	
HIFI	Long Play Time	Support TF card	Bluetooth 5.0	IPX6	Mega Bass	



Model: W3

Bluetooth: Action v4.2+BR+EDR+Bl Output Power: 5W*2 Battery: 2500mAh IPX6 Waterproof Frequency response:60-20KHZ Support TF/USB/AUX-IN/FM TWS connection function Unit size:160*46*74MM



Image: Non-State Image: Non-State<





Model: BM31

Bluetooth version : V5.0 Dutput power:5W*2 Battery: 2400mAh Frequency:100Hz-20KHz Support TF/USB/AUX-IN/FM Dimensions: 240*90*120mm Weight: 650g



53		驘	*		0	
HIFI	Long Play Time	Support TF card	Bluetooth 5.0	Intelligent	Mega Bass	



Bluetooth Version : 1950 Output Power: 5W*2 Battery : 1200mAh Frequency range: 100Hz-20K Support TF/USB/AUX-IN/FM Product Size: 238*60*86mm Weight: 440g



57		圖	*		Ø	
HIF	Long Play Time	Support TF card	Bluetooth 5.0	Intelligent	Mega Bass	



Model: BM37

Bluetooth version: V5.0 Output power:5W Battery: 1200mAh Frequency:180Hz-20KHz Support TF/USB/AUX-IN/FM Dimensions:L90*W90*H135mm Weight: 565g







Bluetooth Version: V5.0 Output Power: 3W Battery: 2000mAh Frequency response: 280HZ-20 Wireless charging power: 5W Charging time:2-3 H Dimensions: 105X105x105mm Weight: 670g Support TF/AUX/FM, Hands-free cal







Model: BF02

Bluetooth Version:V5.0+EDR Output Power: 5W Battery: 1200mAh Support TF/USB/AUX-IN/FM Frequency response : 120HZ-18KHZ Unit size: 110*H48mm Weight:260g