


CA01 | TYPE-C TO 3.5MM +TYPE-C
PD FAST CHARGING AUDIO ADAPTER CABLE



Model No.: RCB0754
Material: Al-alloy+TPE
Length: 12CM
Current: 20V/3A(MAX)
Colors: Black



CA02 | TYPE-C TO TYPE-C * 2
PD FAST CHARGING AUDIO ADAPTER CABLE




CA06 | LIGHTNING 3 IN 1
CHARGE & AUDIO ADAPTER CABLE

CONVERTER




Model No.: RCB0772
Material: Al-alloy + TPE
Length: 13cm
Current: 5V/2A (MAX)
Color: Black



3.5mm jack earphones only supports listening to the music/in-line control with one-button pause, but does not support calls. Earphones with lightning port supports listening to the music/in-line control with one-button pause and calls.

Note: Lightning earphones gives priority to using when use lightning earphones and 3.5mm jack earphones simultaneously.



Listen & Charge.
High quality Al-alloy, durable in use.
High-purity oxygen-free copper core provides high conductivity.

W24 DOUBLE-SIDE QUICK CHARGE
WIRELESS CHARGER

Model No: RWC-0460
Material: Silicone +Fireproof ABS+ PC
Input: 5V=3A 9V=2A 12V=1.5A
Output: 5W/7.5W/10W/15W (MAX)
Dimension: Appr. 179x60.1x7.5mm
Input Port: Type-C
Weight: 43.6g
Color: Blue



W24



Wireless Charging



PD

P75 Mini Camera PD
WIRELESS CHARGING
POWER BANK

10000mAh

Model: RMP0408
Material: Fireproof ABS+PC
Total Output: 18W
Battery Capacity: 3.7V 10000mAh (37Wh)
Rated Capacity: 5V 6200mAh
Charging Time: 3-3.5 hours(9V=2A)
Unit Dimension: 101mm*65.5mm*23.9mm
Weight: 195g

○White ●Green ●Orange

P75 Mini
Power Bank

10000mAh

P75 Camera PD
Super Charging Power Bank

5W | 7.5W | 10W
WIRELESS CHARGING OUTPUT

⚡ Lithium polymer battery
⚡ Digital Power Display





Lithium polymer battery
Compact & Portable, Double as phone kickstand
It provides three input ports: Type-C, Micro-USB, Lightning
Intelligent charging for phone



Wireless Charger

P51 Power Bank

Various Protections | Lithium Polymer Battery

Model: RX20
Material: Fireproof ABS+PC
Micro USB Input: 5V 2A
USB1 Output: 5V 2.1A
USB2 Output: 5V 2.1A
USB1+USB2 Total Output: 10.5W
Li-ion Battery Capacity: 3.7V 20000mAh (74Wh)
Rated Capacity: 5V 12500mAh
Charging Time: 11.5-12hours
Unit Dimension: 140*68.5*24.3mm
Weight: 365g

20000mAh

P51 Mini Power Bank

Wireless Charging Power Bank

Model: W1063
Material: Fireproof ABS+PC
Micro USB Input: 5V 2A
Type-C Input: 5V 2A
Lightning Input: 5V 1.5A
USB-A Output: 5V 2.1A
Wireless Charging Out: 5W
Li-ion Battery Capacity: 3.7V 10000mAh (37Wh)
Rated Capacity: 5V 6200mAh
Charging Time: 5-5.5 hours
Unit Dimension: 90mm*63mm*25mm
Weight: 198g

10000mAh



Lithium polymer battery.



It is compatible with QC3.0/PD3.0/FCP/AFC.



POWER BANK

10th

P71

Mini PD Power Bank 1000mAh

Model: RMP0405
Material: Fireproof ABS+PC
MicroUSB Input: 5V 2A, 9V 2A
Type-C Input: 5V 2A, 9V 2A
Type-C Output: 5V 3A, 9V 2A, 12V 1.5A
USB-A Output*2: 5V 3A, 9V 2A, 12V 1.5A
Li-ion Battery Capacity: 3.7V 10000mAh (37Wh)
Rated Capacity: 5V 6200mAh
Unit Dimension: 94mm*63.5mm*22.5mm
Weight: 198g



It is compatible with QC3.0/PD3.0/FCP/AFC.
Compact & Portable.
Lithium polymer battery.
Multiple inputs and outputs.

P71

Mini Power Bank

Model: RMP0403
Material: Fireproof ABS+PC
MicroUSB Input: 5V 2A
Type-C Input: 5V 2A
USB-A Output: 5V 2.1A
Li-ion Battery Capacity: 3.7V 10000mAh (37Wh)
Rated Capacity: 5V 6200mAh
Charging Time: 5-5.5 hrs
Unit Dimension: 94mm*63.5mm*22.5mm
Weight: 194g
Color: Black

NEW CUBE SUGAR DOUBLE PORT TYPE-C/USB CHARGER 18W

Model: RWC-0440
Material: Fireproof ABS+PC
AC Input: 100-240V~, 50/60Hz, 0.45A
USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
Type-C Output: 5V/3A, 9V/2A, 12V/1.5A
Total Output: 18W
Unit Dimension: 60mm*58mm*31.5mm

NEW CUBE SUGAR SERIES DUAL PORT USB TRAVEL CHARGER

Model: RWC-0441
Material: Fireproof ABS+PC
AC Input: 100-240V~, 50/60Hz, 0.75A
USB-A1 Output: 5V/2.4A
USB-A2 Output: 3.6-6.5V/3A, 6.5-9V/2A, 9-12V/1.5A
Total Output: 30W
Unit Dimension: 64.5mm*64.5mm*31.5mm

NEW CUBE SUGAR DOUBLE PORT TYPE-C/USB CHARGER 30W

Model: RWC-0443
Material: Fireproof ABS+PC
AC Input: 100-240V~, 50/60Hz, 0.8A
USB-A Output:4.5V/5A, 5V/4.5A, 9V/3A, 12V/2.5A
Type-C Output: 5V/3A, 9V/2A, 12V/2.5A,15V/2A, 20V/1.5A
Total Output: 30W
Unit Dimension: 65.5mm*64.5mm*31.5mm



- Qualcomm Quick Charge
- Huawei Quick Charge
- Wide Compatibility
- Thermal-resistant

● Black ● Red ● Blue ● Green



SUGAR II



T14 PRO TRAVEL CHARGER WITH DIGITAL DISPLAY (3-PORT)


Model: HPM6-0530A-3U-SX
Material: Fireproof ABS+PC
Input: 100-240V~, 50-60Hz, 0.5A MAX
Each Port Output: 5V/2.4A (Smart)
Total Output: 5V 3.1A MAX
Dimension: 67.9x45.1x25.6 mm
Plug Type: 3C
Weight: 53g

5V
3.1A



INTELLIGENT VOICE CONTROL CAR FAST CHARGE & SYNC CABLE

Model No.: V11
Material: TPE + Al-alloy + PC
Input: DC 5V~15V
Output: 3A (MAX)
Dimension: 850x14.5x7.9mm
Weight: 28.7g
Input port: Type-C
APP Name: DuerOS
Wake-up Words: Xiaodu, Xiaodu
Bluetooth Version: BT 4.2
Bluetooth Frequency: 2402~2480 MHz
FM Frequency: FM 87.5~107.9 MHz
Microphone: Noise Reduction Dual-mic
Signal-noise Ratio: 65Db




CAR INVERTER

Inverter: Input: DC10-14V
AC output: 220V 50/60HZ
USB-A output: 5V=3A, 9V=2A, 12V=1.5A
Type-C output: 5V=3A, 9V=2A, 12V=1.5A
Total output: 100W


- 220-240V~,50HZ,0.5A,110W
- Multiple Protection Circuit
- Type-C output port is compatible with PPS /PD3.0/QC4.0/FCP.
- USB-A output port is compatible with QC4.0/QC3.0/SCP/FCP.
- Multiple protection circuit.

● Green ○ White



GRAVITY aIR vent CAR MOUNT PRO Business Edition

Supported Phone Size: Width: 62~84mm; thickness: 5.0~11.0mm
Material: Al-alloy + ABS + Silicone
Model No.: RPH0896



Premium aluminum alloy material and anode sand blast technology create the high-end product.
Special gravity linkage design enables you to use by one hand and reserved charging port is convenient and practical.
One-handed operation, just place device on the mount and it stays there, easy to use.
Flexible clip clamps on the air vent tightly, easy to install or uninstall.



CAR CIGARETTE LIGHTER SOCKET

The total output of car cigarette lighter is up to 100W.

2 in 1 car splitter sockets design.

Detachable fixed base with strong 3M glue,
stable and steady.

Multiple safety protections like overcharge protection ect.

Input: 12-24VDC

Output 1: 5V/2.4A

Output 2: 5V/2.4A

Total Output: 5V/3.4A DC

Total output of car cigarette lighter: 100W

● Black ○ White



reddot
2019



METAL MINI PD CAR CHARGER

with Easy-to-pull Belt

17W

Mini Car Charger with Easy-to-pull Belt

Model No: RCC0150

Input: 12-24V DC1.7A

USB-A1/USB-A2 Output: 5V/2.1A/5V/1A

USB-A1/+USB-A2 = 5V/3.4A

QC18W

Mini Car Charger with Easy-to-pull Belt

Model No: RCC0151

USB-A1/USB-A2 Output: 3.6-6.5V/3A、

6.5-9V/2A、9-12V/1.5A;

USB-A1+SUB-A2=3.6A(MAX)

PD30W

Mini Car Charger with Easy-to-pull Belt

Model No: RCC0153

Input: 12-24V DC 2.6A


USB-A Output: 5V3A、9V/2A、12V/2A

USB-C Output: 5V/3A、9V/3A、12V/2.5A、

15V/2A、20V/1.5A

USBA+Type-COutput: 5V/5A (MAX)

● Silver



CAR CHARGER&BLUETOOTH EARPHONE



Model No.: RAU0622
Input: DC 12-24V
Output: DC 5V/3.1A
Bluetooth Version.: V4.2
Pairing Name: ROCK B400
Protocol: HFP/HSP/A2DP/AVRCP
Battery: 40mAh
Talk Time: 2hrs
Material : ABS
Dimension: 97.5 x 43.5 x 23.5mm
Weight: Appr. 34.5g



● Silver



GRAVITY AIR VENT CAR MOUNT
(MAGICAL SCORPION SERIES)




Metal Holder
Solid & Durable



Gravity Linkage
Auto Lock

Model No.: RPH0897
Supported Phone Size: 4.7~ 6.5 inches;
Thickness: 5.0~11.0mm
Material: ABS+PC+ the clamping arm is 5 series
Al-Mg alloy + non-slip silicone
Color: Black



Compact appearance with landing gear design
(Open it when use while packing it up when not use)
is more reasonable and saves the space.
Unique gravity linkage design has smallest gap and abnormal sound
when open or shake the mount.

One-handed operation, just place device on the mount and it stays there, easy to use.
Flexible clip clamps on the air vent tightly, easy to install / uninstall,
and the ball joint enables to be adjusted in multiple directions.

MICROMOLECULE FORMALDEHYDE
PURIFICATION SOLVENT SET

TWO-TIME SELF-TEST BOX

Purification Principle: Oxidative decomposition
Main Material: ABS+ super
absorbent resin + activated water
molecular +nano micromolecule + extracted spice
Use method: Put in the shell and cut the inner liner
Validity: Valid for 2-3 months after product is activated
Supported Range: 3-9 cubic meters
Weight:257g
Application: All kinds of small vehicles
Shelf life: Two-year




Precautions:

1. Fixed in the car, do not tilt, avoiding gas blocking gas channel.
2. Keep it away from children and avoid accidental ingestion.
3. The product is gelatinous after 15 minutes of use. If it is still liquid within 15 minutes, please do not put it upside down.
4. In case of accidental contact with the liquid in the bottle, rinse with water immediately.
5. It is invalid when the gel crystal in the bottle becomes white. Please replace the inner bottle (micromolecule) in time.



Handheld Vacuum Cleaner

Model NO.: ROTO801
Input: DC5V/2A
Battery: 7.2V/2200mAh
Charging Time: ≈2 hours(With 5V/2A power supply)
Use Time: 10~13mins (Based on various situations)
Rated Power: 4200Pa(Full Power)
Suction: 80W
Dustbin capacity: 100ml
Dimension: Plastic
Size: 312.3x71.5x73.3 (mm)
Net Weight: 598g
Color: Black+Silver



IO+ 10th ANNIVERSARY PORTABLE GAME GRIP

Portable & Retractable
Play and Charge
Ergonomic Design
Wide Compatibility

Model No: RPH0874
Material: ABS+PC
Unit dimension:135x65x31mm
Weight: 64±5g

● Black ● Silver



Retractable Design



Reserved hole Positions



Ergonomic Design



4.7-inch to 6.5-inch

