

YKCHIC



ORIGINAL

CHIC HOVERBOARD


The new driving and riding experience enables each trip to feel as smooth, stable and safe as the flowing water.



WECHAT

Yongkang Chic Intelligent Technology Co. Ltd

Add: 4th Building, 228# Chengxin Road, Yongkang, 321300
Zhejiang province, China
Tel: (0086)579-87225336
Fax: (0086)579-87225335
E-mail: info@ykchic.com
www.ykchic.com
www.jinlingatv.com



About Us

How do we get started ?

Established in 1996, Yongkang Jinling Vehicle Co., Ltd. is a manufacturing company for many EPA approved products for the USA and EEC/CE approved vehicle for Europe market. Some of our best products are as follows: all terrain vehicles, Pocket Bikes, Dirt Bikes, Choppers, Gas Scooters, Electronic scooters and Mini Scooters. We have an annual production capability of 20000 units of ATV's, dirt bikes and even more for our other products. Our current ATV's and dirt bikes range from 50cc, 70cc, 90cc, 100cc, 110cc, 125cc, 150cc, 200cc, 250cc, 300cc, 500cc, 700cc. Our products are made under strict ISO9001 quality control system with CE approved.

2007

Innov Action Center Technology Incubator Industrial Park of China's Zhejiang University was established and started to R&D of high-tech products.

2013

After 8 years, Hangzhou Chic intelligent technology co., LTD. founded. The main business is developing and producing balancing scooter.

2014

The first generation smart board in the world was born in Chic. It was exhibited in the Spring Canton Fair.

2015

Invention patents got approved after one year application. Signed exclusive distributors in eight countries. Set branches worldwide.

2016

Production base, Yongkang Chic Intelligent Technology Co., Ltd was founded, mainly manufacturing chic smart series balance scooter. With 4 professional production lines & perfect supplier chains, its daily production capacity is up to 40000 units.

CONVENIENT TRAVEL

CHIC SCOOTER

CHIC



ELECTRIC SCOOTER

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



NEW

LONG RANGE CHOICE

CAN LOAD 60CELLS BATTERIES!!!



model: **CHIC-S17**(8.5inch)

Optional colors: ☐ ☒

Motor power :	350W
Battery :	36V 6.6Ah~15.6Ah
Charger voltage :	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge :	25-55km
Charging Time :	4-8H
Max speed :	30 Km/h
Climbing ability :	15°
Max load :	120 KG
Tire :	8.5inch
N.W. :	12.5KGS
Standard color :	Black/White
Water proof :	IPX4
Brake :	EBS Brake / Foot Brake
Certificate :	CE(SGS), Rohs, MSDS
Lcd display :	Speed, Gear, Power Display
Folding size :	1130*430*400mm
Unfolding size :	1020*430*1130mm
Package size :	1070*192*370mm
Optioanl parts :	APP, External battery
Loading :	350pcs/20GP,860pcs/40HQ



CONVENIENT TRAVEL

CHIC SCOOTER

CHIC



ELECTRIC SCOOTER

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



NEW



model: **CHIC-S11**(8.5inch)

Optional colors: ☐ ☒

Motor power:	250 W
Battery:	36V 4.0-5.2AH
Range per charge:	12-17km
Charging Time:	3H
Max speed:	25 Km/h
Climbing ability:	15°
Max load:	100 KG
Tire:	8inch Air wheel
N.W.:	11.5KGS
Standard color:	Black/White
Water proof:	IPX4
Brake:	Disc Brake + Foot Brake
Certificate:	CE(SGS), Rohs, MSDS
Lcd display:	speed ,battery ,3 gears
Folding size:	860*320*135mm
Package size:	850*320*160mm
Optioanl parts:	bottom LED light
Loading:	20GP 650pcs/ 40HQ 1550pcs



CONVENIENT TRAVEL

ELECTRIC BIKE

CHIC



ELECTRIC BIKE

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



NEW



model: **CHIC-BK01(14inch)**

Optional colors: ☐ ☒

Motor power:	350W
Battery:	36v7.8Ah
Charger voltage:	100 – 220 V (In) / 42 V (Out) / 2A
Range per charge:	30km
Charging Time:	4-5H
Max speed:	30 Km/h
Climbing ability:	15°
Max load:	120 KG
Tire:	14inch
N.W.:	18KGS
Standard color:	Black/White
Water proof:	IPX4
Brake:	Dis Brake
Certificate:	CE(SGS), Rohs, MSDS
Lcd display:	Speed, Gear, Power Display
Unfolding size:	1280*580*990mm
Package size:	1300*200*580mm
Loading:	160PCS/20GP



CONVENIENT TRAVEL

CHIC SCOOTER

CHIC



CHIC HOVERBOARD

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



NEW



model: **CHIC-Pi**(6.5inch)

Optional colors: ☐ ☒

Motor power:	350W
Battery:	36V 4.0Ah
Charger voltage:	AC100-240V/50-60HZ,42V/2.0A
Range per charge:	10-20km
Charging Time:	2-3 H
Max speed:	15km/h
Climbing ability:	15°
Max load:	100 KG
Tire:	6.5inch Non-Pneumatic Tire
Frame:	Aluminium Alloy
Foot Pedal Material:	Plastic and Rubber
N.W.:	10KGS
Standard color:	Black/White
Water proof:	IPX4
Certificate:	CE(SGS), Rohs, MSDS
Optional parts:	remote control,BluetoothApp,bag
Features:	WORLD'S FIRST ALUMINUM CASING BATTERY



CONVENIENT TRAVEL

CHIC HOVERBOARD

CHIC


CHIC HOVERBOARD

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.,LTD

YK
CHIC



NEW



model: **CHIC-Pi Max(10inch)**

Optional colors: ☐ ☒

Motor power:	350W
Battery:	36V 4.0Ah
Charger voltage:	AC100-240V/50-60HZ, 42V/2.0A
Range per charge:	10-20km
Charging Time:	2-3 H
Max speed:	15km/h
Climbing ability:	15°
Max load:	100 KG
Tire:	10inch Non-Pneumatic Tire
Frame:	Aluminium Alloy
Foot Pedal Material:	Plastic and Rubber
N.W.:	12.8KGS
Standard color:	Black/White
Water proof:	IPX4
Certificate:	CE(SGS), Rohs, MSDS
Optional parts:	remote control, Bluetooth App, bag
Features:	WORLD'S FIRST ALUMINUM CASING BATTERY



CREATE YOUR NEW LIFE

HOVERBOARD

YKCHIC



HOVERBOARD

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.,LTD

YK
CHIC



DBID : 383169



NEW



CHIC-D17(10inch)

Optional colors:    

N.W.:	15KG
G.W.:	16.5KG
Motor:	2*350W
Tire:	10inch
Max speed:	16Km/h
Range per charge:	10-30KM
Lithium battery:	36V4.0Ah/54V4.0Ah
Charging Time:	3-4h
Charger:	AC100-240V 50-60HZ
Max load:	100 KG
Max climbing:	15°
Color:	White/Black/Red/Yellow
Product size:	555*265*585mm
Package size:	635*405*345mm
Certificate:	CE(EMC&MD)/RoHS



CHANGE THE FUTURE

HOVERSHOES

YKCHIC

HOVERSHOES

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



NEW



CHIC-HS03(3.5inch)

Optional colors:    

N.W.:	6.5KG
G.W.:	7.5KG
Motor:	2*250W
Tire:	3.5inch
Max speed:	15Km/h
Range per charge:	10-12KM
Lithium battery:	24V2.0Ah
Charging Time:	2-3h
Max load:	100 KG
Max climbing:	15°
Color:	White/Black/Red/Yellow
Product size:	230*155*110mm
Package size:	335*315*225mm
Certificate:	CE(EMC&MD)/RoHS



CONVENIENT TRAVEL

HOVERBOARD

CHIC



CHIC HOVERBOARD

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



CHIC-D01(6.5inch) Optional colors:

Motor power:	2*200W-350W
Battery:	24V2.0-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	8.5KGS
G.W.:	10KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS/UL2272
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti




CHIC-D02(6.5inch) Optional colors:

Motor power:	2*250W-350W
Battery:	24V2.0-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	8.5KGS
G.W.:	10KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti


CHIC-D03(10inch) Optional colors:

Motor power:	2*300W-350W
Battery:	24V2.0-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	10inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 71*33*31cm Inner Carton 69x31.5x29.5cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti





CHIC-D04(10inch) Optional colors:

Motor power:	2*300W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	10inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer carton 78*35*35cm Inner carton 75*33*33cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS/UL2272
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti



CHIC-D05(8inch) Optional colors:

Motor power:	2*280W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	8inch
N.W.:	12.6KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*28*26.5cm Inner Carton 64.5*27*25cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS/UL2272
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti





CHIC-D08(8.5inch) Optional colors:

Motor power:	2*300W-350W (brushless motor)
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	150KGS
Tire:	8.5inch
N.W.:	12KGS
G.W.:	14.5KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer carton 77*28*33.5cm Inner carton 75*26.5*32cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti



CHIC-D09(8.5inch) Optional colors:

Motor power:	2*300W-350W (brushless motor)
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	150KGS
Tire:	8.5inch
N.W.:	12KGS
G.W.:	14KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 77*29*34.5cm Inner Carton 75*27.5*33cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti



**CHIC-D10(6.5inch/8inch/10inch)**

Optional colors:



Motor power:	2*200W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	150KGS
Tire:	6.5inch/8inch/10inch
N.W.:	10/11.5/12.8KGS
G.W.:	12/13/15.8KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24cm/67*28*28.5cm/77.5*35*33cm
zertificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti

**CHIC-D11(6.5inch)** Optional colors:

Motor power:	2*200W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	10KGS
G.W.:	12KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS/UL2272
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti





CHIC-D12(6.5inch) Optional colors:

Motor power:	2*300W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
	120KGS
Tire:	6.5inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti



CHIC-D13(6.5inch) Optional colors:

Motor power:	2*250W
Battery:	36V4.0Ah(Li-ion)
Range per charge:	10-12KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Blue/Black/White
Packing:	Outer Carton 66*25*24.5cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti





CHIC-D14(9inch)

Optional colors:

Motor power:	2*350W (brushless motor)
Battery:	36V4.0Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	9inch
N.W.:	12KGS
G.W.:	14KGS
Standard color:	Black/White
Packing:	Outer Carton 72*34*34cm Inner Carton 70*33*32cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo, graffiti



model: **CHIC-D15(6.5inch)**

Optional colors:

Motor power:	2*350W (brushless motor)
Battery:	36V4.0Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	12KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo, graffiti





model: **CHIC-D16**(8.5inch)

Motor power:	2*350W (brushless motor)
Battery:	36V4.0Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	8.5inch
N.W.:	13KGS
G.W.:	15KGS
Standard color:	Red/Blue/Black/White
Packing:	Outer Carton 68*21*26cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti

Optional colors:



model: **CHIC-X01**(6.5inch)

Motor power:	2*200W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo, graffiti

Optional colors:






model: **CHIC-X02**(9inch)

Optional colors:


Motor power:	2*300W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-25KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	9inch
N.W.:	14.1KGS
G.W.:	17.2KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 77*29*34.5cm Inner Carton 75*27.5*33cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo, graffiti



model: **CHIC-B01**(6.5inch)


Optional colors:

Motor power:	2*180W-350W
Battery:	24V3.6-4.0Ah/ 36V2.0-4.4Ah(Li-ion)
Range per charge:	15-20KM
Charging time:	2-3H
Max speed:	10KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	6.5inch
N.W.:	10.5KGS
G.W.:	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti



model: **CHIC-S**(6.5inch)

Optional colors:

model: **CHIC-F**(6.7inch)

Optional colors:

Model No.:	CHIC-S	CHIC-F
Motor power:	2*350W (brushless motor)	2*350W (brushless motor)
Battery:	36V4.0Ah(Li-ion)	36V4.0Ah(Li-ion)
Range per charge:	15-20KM	15-20KM
Charging time:	1-2H	1-2H
Max speed:	10KM/H	10KM/H
Climbing ability:	≤ 15°	≤ 15°
Max load:	150KGS	150KGS
Tire:	6.5inch	6.7inch
N.W.:	10.5KGS	10.5KGS
G.W.:	13KGS	13KGS
Standard color:	Red/Yellow/Blue/Green/Black/White	Red/Yellow/Blue/Green/Black/White
Packing:	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm	Outer Carton 67*26*24.5cm Inner Carton 65*24.5*23cm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti	remote control,Bluetooth,Strip Light,App, bag,camo,chrome, graffiti

model: **CHIC-K01**(4.5inch)

Optional colors:

model: **CHIC-K02**(4.5inch)

Optional colors:

Model No.:	CHIC-K01	CHIC-K02
Motor power:	2*250W (brushless motor)	2*250W (brushless motor)
Battery:	36V2.2Ah(Li-ion)	36V2.2Ah(Li-ion)
Range per charge:	5-10KM	5-10KM
Charging time:	1-2H	1-2H
Max speed:	8KM/H	8KM/H
Climbing ability:	≤ 15°	≤ 15°
Max load:	60KGS	60KGS
Tire:	4.5inch	4.5inch
N.W.:	6.2KGS	6.2KGS
G.W.:	7.8KGS	7.8KGS
Standard color:	Yellow	Yellow/Black
Item size:	544*168*149mm	544*168*149mm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,App,graffiti	remote control,Bluetooth,App,graffiti



model: **CHIC-Fairy-1**(6.5inch)
Optional colors: ☐ ☐ ☐



model: **CHIC-Fairy-2**(9inch)
Optional colors: ☐ ☐

Model No.:	CHIC-Fairy-1	CHIC-Fairy-2
Motor power:	2*350W (brushless motor)	2*700W (brushless motor)
Battery:	36V4.0Ah(Li-ion)	48V6.6Ah(Li-ion)
Range per charge:	10-15KM	25-30KM
Charging time:	1-2H	3-4H
Max speed:	10KM/H	15KM/H
Climbing ability:	≤15°	≤17°
Max load:	150KGS	100KGS
Tire:	6.5inch	9inch
N.W.:	13.4KGS	21.5KGS
G.W.:	18KGS	27KGS
Standard color:	Red/Black/White	Black/White
Item size:	570*370*430mm	615*450*355mm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,App	remote control,Bluetooth,App



model: **CHIC-Cross**
Optional colors: ☐ ☐



model: **CHIC-Jazz**
Optional colors: ☐ ☐

Model No.:	CHIC-Cross	CHIC-Jazz
Motor power:	≥2000W(Temperature class ≥150℃)	≥2000W(Temperature class ≥150℃)
Battery:	84V17.6AH(Li-ion)	84V17.6AH(Li-ion)
Range per charge:	40-45KM	40-45KM
Charging time:	3-5H	3-5H
Max speed:	20KM/H	20KM/H
Climbing ability:	≤30°	≤28°
Max load:	120KGS	120KGS
Tire:	20*6-10	20*6-10
N.W.:	54KGS	61KGS
G.W.:	76KGS	81KGS
Standard color:	Black/White	Black/White
Item size:	850*650*730mm	536*820* (1092-1312) mm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,App	remote control,Bluetooth,App



model: **CHIC-GOLF** Optional colors: ☐ ☐

Model No.:	CHIC-GOLF
Motor power:	≥2000w(Temperature class ≥150℃)
Battery:	84V17.6AH(Li-ion)
Range per charge:	40-45KM
Charging time:	3-5H
Max speed:	20KM/H
Climbing ability:	≤28°
Max load:	120KGS
Tire:	20*6-10
N.W.:	61KGS
G.W.:	83KGS
Standard color:	Black
Item size:	536*820* (1092-1312) mm
Certificate:	CE(EMC&MD)/FCC/C-TICK/RoHS
Optional parts:	remote control,Bluetooth,App



model: **CHIC-H02**

Optional colors: ☐ ☐ ☐ ☐

Motor power:	CHIC-H02
N.W.:	4.7KGS
G.W.:	5.4KGS
Standard color:	Black/White/Red/Blue
Apply to hoverboard:	6.inch/8inch/10inch
Packing:	44*17.5*58cm



CONVENIENT TRAVEL

CHIC SCOOTER

CHIC



CHIC SCOOTER

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD

YK
CHIC



model: **CHIC-S14(8inch)**

Optional colors: ☐ ☒

Motor power:	350W
Battery:	36V/6.0-8.0Ah
Charger Voltage:	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge:	30-40KM
Charging time:	4-5H
Max speed:	30KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	8inch
N.W.:	12.5KGS
Standard color:	Black/White
Water Proof:	IP56
Brake:	Disk Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display
Folding Size:	1080*430*450mm
Unfolding Size:	1080*430*1140mm
Package Size with Suspension:	1150*520*190 mm





model: **CHIC-S01**(5.5inch)

Optional colors: ☐ ☐ ☐ ☐

Motor power:	250W/480W
Battery:	24V/4.4-10.4Ah
Charger Voltage:	100 - 220 V (In) / 29 V (Out) / 2A
Range per charge:	20KM
Charging time:	3-4H
Max speed:	25KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	5.5inch
N.W.:	7.6-8.8KGS
Standard color:	Black/White/Red/Blue
Water Proof:	IP56
Brake:	EBS Brake / Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display
Folding Size:	1000 *67*159 mm
Unfolding Size:	1000*367*922 mm
Package Size without Suspension:	1070* 185*250 mm
Package Size with Suspension:	1120*185* 250 mm
Optional parts:	aluminium alloy,carbon fiber,Front suspension



model: **CHIC-S03**(8inch)

Optional colors: ☐ ☐

Motor power:	350W
Battery:	36V/6.0-8.0Ah
Charger Voltage:	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge:	30-40KM
Charging time:	4-5H
Max speed:	30KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	8inch
N.W.:	12.5KGS
Standard color:	Black/White
Water Proof:	Ip56
Brake:	Disk Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display
Folding Size:	1080*430*450mm
Unfolding Size:	1080*430*1140mm
Package Size with Suspension:	1150*520*190 mm
Optional parts:	



CONVENIENT TRAVEL

CHIC SCOOTER

CHIC



CHIC SCOOTER

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD



model: **CHIC-S02**(8inch)

Optional colors: ☐ ☒

Motor power:	350W/450W
Battery:	36V/6.6-10.4Ah
Charger Voltage:	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge:	30KM
Charging time:	3-4H
Max speed:	25KM/H
Climbing ability:	≤ 15°
Max load:	120KGS
Tire:	8inch
N.W.:	11KGS
Standard color:	Black/White/Red/Blue
Water Proof:	IP56
Brake:	EBS Brake / Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display
Folding Size:	940*330*150mm
Unfolding Size:	940*1160*210mm
Package Size with Suspension:	1060*230*410 mm
Optional parts:	Bottom side light





model: **CHIC-S04**(10inch)
Optional colors: ☐ ☒



model: **CHIC-S05**(9.5inch)
Optional colors: ☐ ☒

Model No.:	CHIC-S04	CHIC-S05
Motor power:	300W/600W(Max)	250W
Battery:	36V/4.4-12.8Ah	36V/4.4-5.0Ah
Charger Voltage:	42V (Out) / 2A	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge:	20-40KM	15-25KM
Charging time:	3-4H	3-4H
Max speed:	26KM/H	25KM/H
Climbing ability:	≤15°	≤15°
Max load:	200KGS	120KGS
Tire:	10inch	5.5inch
N.W.:	13KGS	9.5KGS
Standard color:	Black/White	Black/Red
Water Proof:	IP56	IP56
Brake:	EBS Brake / Foot Brake	EBS Brake / Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display	Speed, Gear, Power Display
Folding Size:	1180*550*435 mm	
Unfolding Size:	1180*550*1175 mm	935*500*1080mm
Package Size with Suspension:	1300*600*480 mm	970*205*330 mm
Optional parts:	Big light, Seat	



model: **CHIC-S06**(8inch)
Optional colors: ☐ ☒



model: **CHIC-S07**(8inch)
Optional colors: ☐ ☒

Model No.:	CHIC-S06	CHIC-S07
Motor power:	250W	250W
Battery:	36V/4.0-7.5Ah	36V/4.0-8.0Ah
Charger Voltage:	100 - 220 V (In) / 42 V (Out) / 2A	100 - 220 V (In) / 42 V (Out) / 2A
Range per charge:	20-35KM	30-40KM
Charging time:	3-5H	3-5H
Max speed:	25KM/H	25-30KM/H
Climbing ability:	≤15°	≤15°
Max load:	120KGS	120KGS
Tire:	8inch	8inch
N.W.:	11.4KGS	11.4KGS
Standard color:	Black/Red	Black/Red
Water Proof:	IP56	IP56
Brake:	EBS Brake / Foot Brake	EBS Brake / Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display	Speed, Gear, Power Display
Unfolding Size:	1030*575*1130mm	1030*575*1130mm
Package Size with Suspension:	1015*205*400 mm	1025*205*405mm
Optional parts:		



model: **CHIC-S08**(8inch)
Optional colors: ☐ ☒



model: **CHIC-S09**(8inch)
Optional colors: ☐ ☒

Model No.:	CHIC-S08	CHIC-S09
Motor power:	280W	400W
Battery:	36V/5.2Ah-7.5Ah	36 V 8.8Ah/10.4 Ah/15.6Ah/18.2Ah
Range per charge:	20KM	30-35 Km / 40-45Km / 50-55Km
Charging time:	3-5H	3-5H
Max speed:	25-30KM/H	25-35KM/H
Climbing ability:	≤ 15°	≤ 15°
Max load:	100KGS	120KGS
Tire:	8inch	8inch
N.W.:	11.4KGS	14KGS/14.68KGS/18.2KGS
Standard color:	Black	Black
Water Proof:	IP56	IP56
Brake:	EBS Brake / Foot Brake	EBS Brake / Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display	Speed, Gear, Power Display
Unfolding Size:		980*150*1100-1200mm
Folding Size:		1000 x 150 x 300mm
Package Size with Suspension:	930*220*380mm	1020* 220*380mm
Optional parts:	Electric meters,Seat	



model: **CHIC-S10**(5.5inch)
Optional colors: ☐ ☒



model: **CHIC-S11**(8inch)
Optional colors: ☐ ☒

Model No.:	CHIC-S10	CHIC-S11
Motor power:	250W	150W
Battery:	36V2.0Ah	22V2.6Ah
Range per charge:	8Km	5-8Km
Charging time:	1.5H	2.5H
Max speed:	25KM/H	10KM/H
Climbing ability:	≤ 15°	≤ 15°
Max load:	120KGS	100KGS
Tire:	5.5inch	8inch
N.W.:	9.3KGS	16.5KGS(2PCS)
Standard color:	Black	Black/White
Water Proof:	IP56	IP56
Brake:	Foot Brake	Foot Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display	
Unfolding Size:	810*420*290mm	
Folding Size:		860*320*135mm
Packing Size:		835*325*350mm(2pcs)
Package Size with Suspension:	885*225*355mm	

CHIC SCOOTER

YONGKANG CHIC INTELLIGENT TECHNOLOGY CO.LTD



model: **CHIC-S12**(10inch)
Optional colors: ☐ ☒



model: **CHIC-S13**(10inch)
Optional colors: ☐ ☒



Model No.:	CHIC-S12	CHIC-S13
Motor power:	500W	700W
Battery:	48V/13Ah	52V 13Ah
Range per charge:	40-45KM	45-50KM
Charging time:	4-6H	4-6H
Max speed:	30-35KM/H	30-55KM/H
Climbing ability:	≤15°	≤15°
Max load:	120KGS	120KGS
Tire:	10inch	10inch
N.W.:	19.5KGS	19.5KGS
Standard color:	Black	Black
Water Proof:	IP56	IP56
Brake:	DISC Brakeshu	EBS Brake
Certificate:	CE(EMC&MD)/C-TICK/RoHS	CE(EMC&MD)/C-TICK/RoHS
Lcd Display:	Speed, Gear, Power Display	Speed, Gear, Power Display
Packing Size:	1190mm*310mm*360mm	1190mm*310mm*360mm
Optional parts:	turning light, Seat	turning light, Seat

JINLING ATV

POWERFUL

www.jinlingatv.com





model: **JLA-02-01**

50cc/70cc/90cc/110cc

Optional colors: 



model: **JLA-08-02**

50cc/70cc/90cc/110cc

Optional colors: 

Model No.:	JLA-02-01	JLA-08-02
Engine:	50cc/70cc/90cc/110cc,4stroke	50cc/70cc/90cc/110cc,4 storke
Max torque:	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
Max power:	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm
Transmission:	automatic,chain	automatic,chain
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,4AH	12V,4AH
Front/ rear tire spec:	145/70-6,145/70-6	145/70-6,145/70-6
Vehicle dimensions:	127x68x88cm	152x86x91cm
Load capacity	60cm	60cm
Seat height from ground:	80KGS	75KGS
Fuel tank capacity:	3.2L	3.2L
Gross weight:	77KGS	90.5KGS
Net weight:	70KGS	83KGS
Certificate:	CE, EPA	CE, EPA
Packing size:	115x67x66cm	125x76x66cm
Conveyance:	51pcs/20ft, 102pcs/40ft, 136pcs/40'HQ	36pcs/20ft, 81pcs/40ft, 108pcs/40'HQ
Optional parts:	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire, reverse gear, front Disc brake, handel bar cover	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire,reverse gear, front Disc brake, handel bar cover



model: **JLA-08-03**

50cc/70cc/90cc/110cc

Optional colors: 



model: **JLA-08-04**

50cc/70cc/90cc/110cc

Optional colors: 

Model No.:	JLA-08-03	JLA-08-04
Engine:	50cc/70cc/90cc/110cc,4 storke	50cc/70cc/90cc/110cc,4 storke
Max torque:	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
Max power:	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm
Transmission:	automatic,chain	automatic,chain
Brake (Front/Rear):	No/Disc	No/Disc
Battery spec:	12V,4AH	12V,4AH
Front/ rear tire spec:	145/70-6,145/70-6	145/70-6,145/70-6
Vehicle dimensions:	138x86x94cm	138x86x90cm
Load capacity	60cm	60cm
Seat height from ground:	75KGS	75KGS
Fuel tank capacity:	3.2L	3.2L
Gross weight:	90KGS	80KGS
Net weight:	78KGS	70KGS
Certificate:	CE	CE
Packing size:	117x77x64cm	129x76x65cm
Conveyance:	45pcs/20ft, 90pcs/40ft, 120pcs/40'HQ	36pcs/20ft, 81pcs/40ft, 108pcs/40'HQ
Optional parts:	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire,reverse gear, front Disc brake, handel bar cover	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire,reverse gear, front Disc brake, handel bar cover



model: **JLA-07-05**
50cc/70cc/90cc/110cc
Optional colors: 



model: **JLA-07-06**
50cc/70cc/90cc/110cc
Optional colors: 

Model No.:	JLA-07-05	JLA-07-06
Engine:	50cc/70cc/90cc/110cc,4 storke	50cc/70cc/90cc/110cc,4 storke
Max torque:	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm
Max power:	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm
Transmission:	automatic,chain	automatic,chain
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,4AH	12V,4AH
Front/ rear tire spec:	145/70-6,145/70-6	145/70-6, 145/70-6
Vehicle dimensions:	146x94x90cm	141x97x100cm
Seat height from ground:	60cm	70cm
Load capacity:	75KGS	150KGS
Fuel tank capacity:	3.2L	5L
Gross weight:	110KGS	116KGS
Net weight:	102KGS	108KGS
Certificate:	CE, EPA	CE, EPA
Packing size:	131x84x66cm	131X84X66cm
Conveyance:	34pcs/20ft, 92pcs/40'HQ	30pcs/20ft, 92pcs/40'HQ
Optional parts:	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire, 8'tire, reverse gear, front Disc brake, handel bar cover, 110cc 3+1 engine125cc automatic , 125cc 3+1 engine	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire, 8'tire, reverse gear, front Disc brake, handel bar cover, 110cc 3+1 engine125cc automatic , 125cc 3+1 engine



model: **JLA-07-07**
50cc/70cc/90cc/110cc
Optional colors: 



model: **JLA-11-08**
107cc/124cc
Optional colors: 

Model No.:	JLA-07-07	JLA-11-08
Engine:	50cc/70cc/90cc/110cc,4 storke	107cc/124cc
Max torque:	4.2Nm/5000rpm , 4.2Nm/5000rpm, 5.2Nm/5000rpm, 5.5Nm/5000rpm	6.5Nm/5000rpm, 8.6Nm/5000rpm
Max power:	3.0Kw/8500rpm/ ,3.0kw/7500rpm, 3.3kw/7500rpm,3.6kw/7500rpm	4.7Kw/7500rpm/ ,8.0kw/7500rpm
Transmission:	automatic,chain	4 speed. semi-automatic reverse chain drive
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,4AH	12V,4AH
Front/ rear tire spec:	145/70-6, 145/70-6	19x7-8, 18x9.5-8
Vehicle dimensions:	141x97x100cm	155x88x95cm
Load capacity:	70cm	75cm
Seat height from ground:	150KGS	140KGS
Fuel tank capacity:	5L	4.5L
Gross weight:	116KGS	145KGS
Net weight:	108KGS	130KGS
Certificate:	CE	CE, EPA
Packing size:	131X84X66cm	145x83x73cm
Conveyance:	30pcs/20ft, 92pcs/40'HQ	33pcs/20ft, 66pcs/40ft, 66pcs/40'HQ
Optional parts:	remote control, metallic paint, turn light, mirror, numeral-meter,horn, 7'tire, 8'tire, reverse gear, front Disc brake, handel bar cover,110cc 3+1 engine 125cc automatic , 125cc 3+1 engine	remote control, metallic paint, off road tire, 10inch tire, 125cc engine,numeral-meter, rear carrier, horn, mirror, turn light,air shock , front disc, chain tensioner, handel bar cover



model: **JLA-11-10**
107cc/124cc
Optional colors: 



model: **JLA-11-12**
107cc/124cc
Optional colors: 

Model No.:	JLA-11-10	JLA-11-12
Engine:	107cc/124cc	107cc/124cc
Max torque:	6.5Nm/5000rpm, 8.6Nm/5000rpm	6.5Nm/5000rpm, 8.6Nm/5000rpm
Max power:	4.7Kw/7500rpm/ ,8.0kw/7500rpm	4.7Kw/7500rpm/ ,8.0kw/7500rpm
Transmission:	4 speed. semi-automatic reverse chain drive	4 speed. semi-automatic reverse chain drive
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8	19x7-8, 18x9.5-8
Vehicle dimensions:	174X95X109cm	155x88x95cm
Seat height from ground:	80cm	75cm
Load capacity:	150KGS	140KGS
Fuel tank capacity:	7.8L	4.5L
Gross weight:	145KGS	151KGS
Net weight:	130KGS	135KGS
Certificate:	CE, EPA	CE
Packing size:	149x83x75cm	149X90X75cm
Conveyance:	30pcs/20ft, 63pcs/40ft, 63pcs/40'HQ	21pcs/20ft, 48pcs/40ft, 48pcs/40'HQ
Optional parts:	remote control, metallic paint, off road tire, 10inch tire, 125cc engine, numeral-meter with light, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover, front bump cover, side cover	remote control, metallic paint, off road tire, 10inch tire, 125cc engine, numeral-meter, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover



model: **JLA-12-08**
148cc/196cc/248cc
Optional colors: 



model: **JLA-12-09**
148cc/196cc/248cc
Optional colors: 

Model No.:	JLA-12-08	JLA-12-09
Engine:	148cc/196cc/248cc	148cc/196cc/248cc
Max torque:	10Nm/5500rpm, 13.5Nm/5500rpm, 17.5Nm/5000rpm	10Nm/5500rpm, 13.5Nm/5500rpm, 17.5Nm/5000rpm
Max power:	9.3kw/7500rpm, 10kw/7500rpm, 11kw/7500rpm	9.3kw/7500rpm, 10kw/7500rpm, 11kw/7500rpm
Transmission:	manual reverse, chain drive	manual reverse, chain drive
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8	21x7-10, 20x10-10
Vehicle dimensions:	155x88x95cm	169x102x108cm
Load capacity:	75cm	85cm
Seat height from ground:	140KGS	150KGS
Fuel tank capacity:	4.5L	4.5L
Gross weight:	173KGS	190KGS
Net weight:	185KGS	170KGS
Certificate:	CE, EPA	CE, EPA
Packing size:	156X112X85cm	145x88x89cm
Conveyance:	33pcs/20ft, 66pcs/40ft, 66pcs/40'HQ	20pcs/20ft, 65pcs/40'HQ
Optional parts:	remote control, metallic paint, off road tire, 200cc engine, 250cc engine, 10inch tire, numeral-meter, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine, 250cc engine, numeral-meter, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover



model: **JLA-12-10**
148cc/196cc/248cc

Optional colors: 



model: **JLA-12-12**
148cc/196cc/248cc

Optional colors: 

Model No.:	JLA-12-10	JLA-12-12
Engine:	148cc/196cc/248cc	148cc/196cc/248cc
Max torque:	10Nm/5500rpm, 13.5Nm/5500rpm, 17.5Nm/5000rpm	10Nm/5500rpm, 13.5Nm/5500rpm, 17.5Nm/5000rpm
Max power:	9.3kw/7500rpm, 10kw/7500rpm, 11kw/7500rpm	9.3kw/7500rpm, 10kw/7500rpm, 11kw/7500rpm
Transmission:	manual reverse, chain drive	manual reverse, chain drive
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8	21x7-10, 20x10-10
Vehicle dimensions:	174X95X109cm	169x102x108cm
Load capacity	150KGS	180KGS
Seat height from ground:	80cm	85cm
Fuel tank capacity:	7.8L	5L
Gross weight:	180KGS	195KGS
Net weight:	165KGS	175KGS
Certificate:	CE, EPA	CE, EPA
Packing size:	156X112X85cm	156X112X85cm
Conveyance:	30pcs/20ft, 66pcs/40ft, 59pcs/40'HQ	20pcs/20ft, 48pcs/40'HQ
Optional parts:	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine, 250cc engine, meter with light, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover, front bump cover, side cover	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine, 250cc engine, numeral-meter, rear carrier, horn, mirror, turn light, air shock, front disc, chain tensioner, handel bar cover



model: **JLA-13-08**
GY6-150cc

Optional colors: 



model: **JLA-13-09**
GY6-150cc

Optional colors: 

Model No.:	JLA-13-08	JLA-13-09
Engine:	GY6-150cc, 4 stroke	GY6-150cc, 4 stroke
Max torque:	10Nm/5500rpm	10Nm/5500rpm
Max power:	9.3kw/7500rpm	9.3kw/7500rpm
Transmission:	automatic	automatic
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8	19x7-8, 18x9.5-8
Vehicle dimensions:	158x120x110cm	158x120x110cm
Load capacity	84cm	84cm
Seat height from ground:	150KGS	150KGS
Fuel tank capacity:	4.5L	4.5L
Gross weight:	193KGS	193KGS
Net weight:	178KGS	178KGS
Certificate:	CE	CE
Packing size:	149X84X75cm	149X84X75cm
Conveyance:	30pcs/20ft, 65pcs/40'HQ	30pcs/20ft, 65pcs/40'HQ
Optional parts:	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine, reverse gear, numeral-meter, rear carrier, horn, mirror, turn light, air shock, chain tensioner, handel bar cover	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine, reverse gear, numeral-meter, rear carrier, horn, mirror, turn light, air shock, chain tensioner, handel bar cover





model: **JLA-13-10**
GY6-150cc
Optional colors: 



model: **JLA-13T-10**
GY6 150CC air cooled Farm Version Veicle
Optional colors: 

Model No.:	JLA-13-10	JLA-13T-10, GY6 150CC air cooled Farm Version Veicle
Engine:	GY6-150cc,4 storke	GY6-150cc,4 storke
Max torque:	10Nm/5500rpm	10Nm/5500rpm
Max power:	9.3kw/7500rpm	9.3kw/7500rpm
Transmission:	automatic	automatic with insaide reverse gear
Brake (Front/Rear):	Drum/Disc	Drum/Disc
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8	21x7-10, 20x10-10
Vehicle dimensions:	155x88x95cm	250x100x118cm
Load capacity	75cm	70cm
Seat height from ground:	140KGS	350KGS
Fuel tank capacity:	4.5L	8L
Gross weight:	177KGS	200KGS
Net weight:	162KGS	185KGS
Certificate:	CE	CE
Packing size:	149X84X75cm	196x90x71cm
Conveyance:	30pcs/20ft, 66pcs/40ft, 66pcs/40'HQremote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine,reverse gear,meter with light,rear carrier, horn, mirror, turn light, front disc,air shock ,chain tensioner, front bump cover,side cover,handel bar cover	36pcs/40'HQ winch, turn hopper, 10' alloy rim
Optional parts:		



model: **JLA-13-11** GY6-150cc

Optional colors: 

Model No.:	JLA-13-11
Engine:	GY6-150cc,4 storke
Max torque:	10Nm/5500rpm
Max power:	9.3kw/7500rpm
Transmission:	automatic
Brake (Front/Rear):	Drum/Disc
Battery spec:	12V,9AH
Front/ rear tire spec:	19x7-8, 18x9.5-8
Vehicle dimensions:	158x120x110cm
Load capacity	84cm
Seat height from ground:	150KGS
Fuel tank capacity:	4.5L
Gross weight:	180KGS
Net weight:	164KGS
Certificate:	CE
Packing size:	149x88x73cm
Conveyance:	30pcs/20ft, 65pcs/40'HQ
Optional parts:	remote control, metallic paint, off road tire, 10' inch tire, 10' alloy rim, 200cc engine,inside reverse,numeral-meter ,rear carrier, horn, mirror, turn light,front disc, air shock , chain tensioner, handel bar cover





model: **JEA-21-08**
250cc water cooled with EEC for 2 passengers
Optional colors: 



model: **JEA-21-09**
250cc water cooled with EEC for 2 passengers
Optional colors: 

Model No.:	JEA-21-08, 250cc water cooled with EEC for 2 passengers	JEA-21-09, 250cc water cooled with EEC for 2 passengers
Engine:	200cc, 4 stroke, air Cooled./250cc water cooled	250cc, 4 stroke, Water Cooled.
Max torque:	17.5Nm/5000rpm	17.5Nm/5000rpm
Max power:	13kw/7500rpm, 10.7kw/6500rpm	10.7kw/6500rpm
Transmission:	manual clutch, 4-speed, reverse gear, chain	manual clutch, 4-speed, reverse gear, chain
Brake (Front/Rear):	Drum/Disc	Disc/Disc
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	21x7-10, 20x10-10	235/30-12, 235/30-12
Vehicle dimensions:	180 x 112 x 113cm	202 x 113 x 184cm
Load capacity	88cm	60cm
Seat height from ground:	155KGS	370KGS
Fuel tank capacity:	4L	8L
Gross weight:	190KGS	210KGS
Net weight:	170KGS	187KGS
Certificate:	CE, EEC	CE, EEC
Packing size:	148 x 83 x 84cm	170 x 112 x 75cm
Conveyance:	22pcs/20ft, 44pcs/40ft, 66pcs/40'HQ	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ
Optional parts:	remote control, metallic paint, alloy rim, 250cc water cooled, rear carrier, LED turn light, air shock	remote control, metallic paint, 14 inch alloy wheel, LED turn light, LED rear light, air shock, three-meter, Spoiler, wider Arm. wider rear axle, Alloy Arm. wider rear axle



model: **JEA-21A-09**
250cc water cooled with EEC for 2 passengers
Optional colors: 



model: **JEA-24-13**
196cc/248cc
Optional colors: 

Model No.:	JEA-21A-09, 250cc water cooled with EEC for 2 passengers	JEA-24-13
Engine:	250cc, 4 stroke, 4 stroke, Water Cooled.	196cc/248cc, 4 stroke
Max torque:	17.5Nm/5000rpm	13.5Nm/5500rpm, 17.5Nm/5000rpm
Max power:	10.7kw/6500rpm	10kw/7500rpm, 11kw/7500rpm
Transmission:	manual clutch, 4-speed, reverse gear, chain	manual clutch, 4-speed, reverse gear, chain/shaft, drive
Brake (Front/Rear):	Disc/Disc	Drum/Drum for shaft), Disc(for chain)
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	235/30-12, 235/30-12	23 x 7-10, 22 x 10-10
Vehicle dimensions:	202 x 113 x 184cm	208x124x113cm
Load capacity	60cm	90cm
Seat height from ground:	370KGS	165KGS
Fuel tank capacity:	8L	11L
Gross weight:	210KGS	226KGS
Net weight:	187KGS	204KGS
Certificate:	CE, EEC	CE, EEC
Packing size:	170 x 112 x 75cm	194x109x84cm
Conveyance:	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ	12pcs/20ft, 24pcs/40ft, 36pcs/40'HQ
Optional parts:	remote control, metallic paint, 14 inch alloy wheel, LED rear light, LED turn light, Air-shock, three-meter, Spoiler, wider Arm. wider rear axle, Alloy Arm. wider rear axle	remote control, camo-flag colour, alloy rim, 200cc water cooled, 250cc engine, 250cc water cooled, 250cc jiangshe yamaha, shaft drive, mirror, horn, numeral-meter with light, um light, winch



model: **JLA-24-14**
196cc/248cc

Optional colors: 



model: **JEA-24-15**
196cc/248cc

Optional colors: 

Model No.:	JLA-24-14	JEA-24-15
Engine:	196cc/248cc,4 storke	196cc/248cc,4 storke
Max torque:	13.5Nm/5500rpm, 17.5Nm/5000rpm	13.5Nm/5500rpm, 17.5Nm/5000rpm
Max power:	10kw/7500rpm,11kw/7500rpm	10kw/7500rpm,11kw/7500rpm
Transmission:	manual clutch,4-speed,reverse gear,chain/shaft,drive	manual clutch,4-speed,reverse gear,chain/shaft,drive
Brake (Front/Rear):	Drum/Drum for shaft),Disc(for chain)	Drum/Drum for shaft),Disc(for chain)
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	23 x 7-10, 22 x 10-10	23 x 7-10, 22 x 10-10
Vehicle dimensions:	208x124x113cm	208x124x113cm
Load capacity	90cm	90cm
Seat height from ground:	165KGS	165KGS
Fuel tank capacity:	11L	11L
Gross weight:	228KGS	240KGS
Net weight:	206KGS	220KGS
Certificate:	CE	CE,EEC
Packing size:	194x109x84cm	194x109x86cm
Conveyance:	12pcs/20ft, 24pcs/40ft, 36pcs/40'HQ	12pcs/20ft, 24pcs/40ft, 36pcs/40'HQ
Optional parts:	remote control, camo-flag colour, alloy rim, 200cc water cooled ,250cc engine,250cc water cooled , shaft drive, mirror, horn, numeral-meter, turn light, winch	remote control, camo-flag colour, alloy rim, 200cc water cooled engine,250cc engine,250cc water cooled engine, 250cc jiangshe yamaha engine, shaft drive, mirror, horn, numeral-meter, turn light, winch,250cc with EEC



model: **JLA-13A-08GY6-150cc**

Optional colors: 

Engine:	GY6-150cc,4 storke
Max torque:	10Nm/5500rpm
Max power:	9.3kw/7500rpm
Transmission:	automatic
Brake (Front/Rear):	Disc/Disc
Battery spec:	12V,9AH
Front/ rear tire spec:	235/30-12, 235/30-12
Vehicle dimensions:	190x110x103cm
Load capacity	63cm
Seat height from ground:	150KGS
Fuel tank capacity:	5L
Gross weight:	204KGS
Net weight:	180KGS
Certificate:	CE
Packing size:	180x100x75cm
Conveyance:	18pcs/20ft, 42pcs/40ft, 42pcs/40'HQ
Optional parts:	remote control, metallic paint, 14 inch alloy wheel, reverse gear, three-meter , LED turn light, LED rear light, 200cc engine, air shock, chain tensioner, rear seat, spoiler



model: **JLA-13A-09**
GY6-150cc

Optional colors: 



model: **JLA-21A-08**
250cc/4 storke/Water Cooled

Optional colors: 

Model No.:	JLA-13A-09	JEA-21A-08, 250cc Racing ATV
Engine:	GY6-150cc,4 storke	250cc/4 storke/Water Cooled
Max torque:	10Nm/5500rpm	17.5Nm/5000rpm
Max power:	9.3kw/7500rpm	0.7kw/6500rpm
Transmission:	automatic	manual clutch,4-speed,reverse gear,chain
Brake (Front/Rear):	Disc/Disc	Disc/Disc
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	235/30-12, 235/30-12	235/30-12, 235/30-12
Vehicle dimensions:	190x110x103cm	190*109*105cm
Seat height from ground:	63cm	60cm
Load capacity	150KGS	370KGS
Fuel tank capacity:	5L	8L
Gross weight:	204KGS	208KGS
Net weight:	180KGS	185KGS
Certificate:	CE	CE,EEC
Packing size:	180x100x75cm	170 x 112 x 75cm
Conveyance:	18pcs/20ft, 42pcs/40ft, 42pcs/40'HQ	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ
Optional parts:	remote control, metallic paint, 14 inch alloy wheel, reverse gear, three-meter, LED turn light, LED rear light, 200cc engine, air shock, chain tensioner, rear seat, spoiler	remote control, metallic paint, 14 inch alloy wheel, LED turn light, LED rear light, air shock, three-meter, Spoiler, wider Arm. wider rear axle, Alloy Arm. wider rear axle



model: **JEA-21-09**

250cc water cooled with EEC for 2 passengers

Optional colors: 



model: **JEA-93A-08**
250cc three wheels Racing ATV

Optional colors: 

Model No.:	JEA-21-09, 250cc water cooled with EEC for 2 passengers	JEA-93A-08, 250cc three wheels Racing ATV
Engine:	250cc,4 storke, Water Cooled.	250cc,4 storke, Water Cooled.
Max torque:	17.5Nm/5000rpm	17.5Nm/5000rpm
Max power:	10.7kw/6500rpm	13kw/7500rpm
Transmission:	manual clutch,4-speed,reverse gear,chain	manual clutch,4-speed,reverse gear,chain
Brake (Front/Rear):	Disc/Disc	Disc/Disc
Battery spec:	12V,9AH	12V,9AH
Front/ rear tire spec:	235/30-12, 235/30-12	235/30-12, 235/30-12
Vehicle dimensions:	202 x 113 x 184cm	202 x 113 x 184cm
Load capacity	60cm	60cm
Seat height from ground:	370KGS	370KGS
Fuel tank capacity:	8L	8L
Gross weight:	210KGS	170KGS
Net weight:	187KGS	155KGS
Certificate:	CE,EEC	CE,EEC
Packing size:	170 x 112 x 75cm	148 x 83 x 84cm
Conveyance:	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ
Optional parts:	remote control, metallic paint, 14 inch alloy wheel, LED turn light, LED rear light, air shock, three-meter, Spoiler, wider Arm. wider rear axle, Alloy Arm. wider rear axle	remote control, metallic paint, 14 inch front wheel, LED turn light, LED rear light, air shock, three-meter, Spoiler, wider Arm, Alloy Arm



model: **JEA-93A-09**
250cc three wheels Racing ATV
Optional colors: 



model: **JLA-91-16**
Optional colors: 

Model No.:	JEA-93A-09, 250cc three wheels Racing ATV	JLA-91-16
Engine:	250cc, 4 stroke, Water Cooled.	150cc, CVT
Max torque:	17.5Nm/5000rpm	10.5Nm/5000r/min
Max power:	13kw/7500rpm	7.5Kw/6500r/pm
Transmission:	manual clutch, 4-speed, reverse gear, chain	Automatic
Brake (Front/Rear):	Disc/Disc	Disc/Disc
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	235/30-12, 235/30-12	130/60-13, 235/30-12
Vehicle dimensions:	202 x 113 x 184cm	250 x 127 x 110cm
Seat height from ground:	60cm	75cm
Load capacity	370KGS	140KGS
Fuel tank capacity:	8L	7.8L
Gross weight:	202KGS	150KGS
Net weight:	178KGS	140KGS
Certificate:	CE, EEC	CE
Packing size:	190 x 112 x 75cm	147x83x75cm33pcs
Conveyance:	18pcs/20ft, 36pcs/40ft, 42pcs/40'HQ	33pcs/20ft, 66pcs/40ft, 66pcs/40'HQ
Optional parts:	remote control, metallic paint, 14 inch front wheel, LED turn light, LED rear light, air shock, three-meter, Spoiler, Alloy Arm	remote control, metallic paint, 200cc engine, 250cc engine



model: **JEA-91-16**
Optional colors: 



model: **JEA-91-17**
Optional colors: 

Model No.:	JEA-91-16	JEA-91-17
Engine:	300cc Water Cooled, CVT	300cc Water Cooled, CVT
Max torque:	19.5Nm/5000r/min, 20.5Nm/5000r/min	19.5Nm/5000r/min, 20.5Nm/5000r/min
Max power:	13Kw/6500r/pm	13Kw/6500r/pm
Transmission:	Automatic	Automatic
Brake (Front/Rear):	Disc/Disc	Disc/Disc
Battery spec:	12V, 9AH	12V, 9AH
Front/ rear tire spec:	130/60-13, 270/30-14	130/60-13, 270/30-14
Vehicle dimensions:	250 x 127 x 110cm	250 x 127 x 110cm
Seat height from ground:	70cm	70cm
Fuel tank capacity:	12L	12L
Gross weight:	250KGS	250KGS
Net weight:	240KGS	240KGS
Certificate:	CE, EEC	CE, EEC
Packing size:	232x128x105cm	232x128x105cm
Conveyance:	8pcs/20ft, 18pcs/40'HQ	8pcs/20ft, 18pcs/40'HQ
Optional parts:	remote control, metallic paint	remote control, metallic paint



model: **JLEA-H800A-1** Optional colors: 

Motor:	500W/800W
Battery:	lead acid battery, 12A/12V*3PCS
Transmission system:	chain
Tire:	4" tire(6" tire is also available)
N.W.:	52kg
G.W.:	47kg
Max Speed:	25km/h
Max load capacity:	65KGS
Charging time:	6-8 hours
Braking system(F/R):	disc brake
Vehicle size:	1030 × 660 × 630mm
Packing size:	103x57x44cm-6" tires
Conveyance:	276pcs/40'HQ



model: **JLEA-H800D** Optional colors: 

Motor:	800W/36V
Battery:	12A/12V*3PCS
Tire:	4.10-6(F);13X5.00-6(R)
N.W.:	55kg
G.W.:	47kg
Max Speed:	25km/h
Max load capacity:	65KGS
Charging time:	6-8 hours
Braking system(F/R):	disc brake
Packing size:	1050 × 660 × 730mm
Conveyance:	1120x590x520mm
Optional parts:	205pcs/40'HQ





model: **JLEA-H800Q** Optional colors:

Motor:	800W
Battery:	lead acid battery, 12A/12V*3PCS
Tire:	6" tire
N.W.:	50kg
G.W.:	45kg
Max Speed:	25km/h
Max load capacity:	65KGS
Charging time:	6-8 hours
Braking system(F/R):	disc brake
Packing size:	1050x570x480mm
Conveyance:	220pcs/40'HQ
Optional parts:	

