## =AVIDOM

## AVIDOM SPORTS EQUIPMENT(SUZHOU) CO.,LTD

Add: No.2 Zhaijibang Road, Wangting Town, Suzhou, China, 215155

TEL: +86-512-65716351 FAX: +86-512-65715268 Website: www.avidom.cn

## TRAMPOLINE QUOTATION

TRAMPOLINE QUOTATION									
ITEM	PICTURE	SIZE	Detailed Specification	V-rings & Spring(pcs)	Net Height	Packing Details	Unit Price (FOB USD)		
Big trampoline									
TRAMPOLINE - MODEL 1 (ROUND)		6FT (Φ1830*550mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*6pcs); 3 U-shaped big legs (Φ38mm*1.2mmwith )6 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 36 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside; No heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	36pcs	1630mm	1pc/ctn (110*46*23cm)28kg	\$47.10		
		8FT (Φ2440*550mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*6pcs);</li> <li>3 U-shaped big legs (Φ38mm*1.2mmwith )6</li> <li>balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat</li> <li>with 48 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly</li> <li>connected to galvanized steel poles with foam</li> <li>sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder;</li> <li>all the installation tools you need</li> </ul>	48pcs	1630mm	1pc/ctn (130*47*23cm)36kg	\$62.32		
		10FT (Φ3050*740mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.2mmwith )8 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 64 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	64pcs	1630mm	1pc/ctn (130*47*23cm)45kg	\$78.26		
		12FT (Ф3660°850mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.3mmwith )8</li> <li>balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat</li> <li>with 72 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly</li> <li>connected to galvanized steel poles with foam</li> <li>sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder;</li> <li>all the installation tools you need</li> </ul>	72pcs	1830mm	1pc/ctn (149.5*51.5*27cm)60 kg	\$93.48		
	Image: Constraint of the second se	13FT (Ф3965*850mm)	Fully galvanized steel frame(\$\Partial Starf and \$\Partial Starf a	80pcs	1830mm	1pcs/ctn (160*53*29cm)65kg	\$107.25		
	7/7 <sup>2</sup> /7 <sup>2</sup> /7 <sup>2</sup> /7	14FT (Ф4270*850mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.4mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.3mmwith )8 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 80 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	80pcs	1830mm	1pc/ctn (173x54x29cm)70kg	\$117.39		
		15FT (Ф4575*850mm)	<ul> <li>Fully galvanized steel frame(Φ 38mm*1.4mm*10pcs);</li> <li>6 U-shaped big legs (Φ38mm*1.3mmwith )12 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 96 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	96pcs	1830mm	1pcs/ctn (150*55*33cm)80kg	\$131.88		
	Ħ	16FT (Ф4880*850mm)	<ul> <li>Fully galvanized steel frame(Φ 38mm*1.4mm*12pcs);</li> <li>6 U-shaped big legs (Φ38mm*1.3mmwith )12 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 108 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	108pcs	1830mm	1pc/ctn (135x62x36cm)90kg	\$146.38		

		6FT (Φ1830*550mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*6pcs);</li> <li>3 U-shaped big legs (Φ38mm*1.2mmwith )6</li> <li>balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat</li> <li>with 36 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly</li> <li>connected to galvanized steel poles with foam</li> <li>sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>No heavy-duty galvanized steel ladder;</li> <li>all the installation tools you need</li> </ul>	36pcs	1630mm	1pc/ctn (110*46*23cm)28kg	\$48.55
		8FT (Φ2440*550mm)	<ul> <li>Fully galvanized steel frame(Ф38mm*1.3mm*6pcs);</li> <li>3 U-shaped big legs (Ф38mm*1.2mmwith )6 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 48 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	48pcs	1630mm	1pc/ctn (130*47*23cm)36kg	\$63.77
		10FT (Φ3050*740mm)	Fully galvanized steel frame(Φ38mm*1.3mm*8pcs); 4 U-shaped big legs (Φ38mm*1.2mmwith )8 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 64 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	64pcs	1630mm	1pc/ctn (130*47*23cm)45kg	\$79.71
		12FT (Φ3660*850mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.3mmwith )8 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 72 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	72pcs	1830mm	1pc/ctn (149.5*51.5*27cm)60 kg	\$94.93
TRAMPOLINE - MODEL 2 (ROUND)	Egy string Ur String	13FT (Φ3965*850mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.4mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.3mmwith )8 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 80 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	80pcs	1830mm	1pcs/ctn (160*53*29cm)65kg	\$108.70
		14FT (Φ4270*850mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.4mm*8pcs);</li> <li>4 U-shaped big legs (Φ38mm*1.3mmwith )8</li> <li>balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat</li> <li>with 80 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly</li> <li>connected to galvanized steel poles with foam</li> <li>sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder;</li> <li>all the installation tools you need</li> </ul>	80pcs	1830mm	1pc/ctn (173x54x29cm)70kg	\$118.84
	THE SAME AND	15FT (Φ4575*850mm)	Fully galvanized steel frame(Φ 38mm*1.4mm*10pcs); 6 U-shaped big legs (Φ38mm*1.3mmwith )12 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 96 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	96pcs	1830mm	1pcs/ctn (150*55*33cm)80kg	\$133.33
		16FT (Ф4880*850mm)	<ul> <li>Fully galvanized steel frame(Φ 38mm*1.4mm*12pcs);</li> <li>6 U-shaped big legs (Φ38mm*1.3mmwith )12 balanced contact points for better stability;</li> <li>safety wear-resistant and anti-UV jumping PP mat with 108 galvanized springs for good elasticity;</li> <li>Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside;</li> <li>1pcs Heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	108pcs	1830mm	1pc/ctn (135x62x36cm)90kg	\$147.83

TRAMPOLINE - MODEL 3 (ROUND)		6FT (Φ1830*550mm)	<ul> <li>Fully galvanized steel frame(Φ38mm*1.3mm*6pcs); 3 U-shaped big legs (Φ38mm*1.2mmwith) 6 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 36 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves;</li> <li>PVC spring cover pad with EPE foma inside; No heavy-duty galvanized steel ladder; all the installation tools you need</li> </ul>	36pcs	1630mm	1pc/ctn (110*46*23cm)28kg	\$54.35
		8FT (Ф2440*550mm)	Fully galvanized steel frame(Φ38mm*1.3mm*6pcs); 3 U-shaped big legs (Φ38mm*1.2mmwith )6 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 48 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	48pcs	1630mm	1pc/ctn (130*47*23cm)36kg	\$69.57
		10FT (Φ3050*740mm)	Fully galvanized steel frame(Φ38mm*1.3mm*8pcs); 4 U-shaped big legs (Φ38mm*1.2mmwith )8 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 64 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	64pcs	1630mm	1pc/ctn (130*47*23cm)45kg	\$85.51
		12FT (Φ3660*850mm)	Fully galvanized steel frame(Φ38mm*1.3mm*8pcs); 4 U-shaped big legs (Φ38mm*1.3mmwith )8 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 72 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	72pcs	1830mm	1pc/ctn (149.5*51.5*27cm)60 kg	\$100.72
		13FT (Φ3965*850mm)	Fully galvanized steel frame(Φ38mm*1.4mm*8pcs); 4 U-shaped big legs (Φ38mm*1.3mmwith )8 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 80 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	80pcs	1830mm	1pcs/ctn (160*53*29cm)65kg	\$108.70
		14FT (Φ4270*850mm)	Fully galvanized steel frame( $\Phi$ 38mm <sup>+</sup> 1.4mm <sup>+</sup> 8pcs); 4 U-shaped big legs ( $\Phi$ 38mm <sup>+</sup> 1.3mmwith )8 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 80 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	80pcs	1830mm	1pc/ctn (173x54x29cm)70kg	\$124.64
	PAD MATERIAL Management and any longer 12 and the the demonstration of the	15FT (Φ4575*850mm)	Fully galvanized steel frame(Φ 38mm*1.4mm*10pcs); 6 U-shaped big legs (Φ38mm*1.3mmwit))12 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 96 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	96pcs	1830mm	1pcs/ctn (150*55*33cm)80kg	\$139.13
	335	16FT (Ф4880*850mm)	Fully galvanized steel frame(Φ 38mm*1.4mm*12pcs); 6 U-shaped big legs (Φ38mm*1.3mmwith )12 balanced contact points for better stability; safety wear-resistant and anti-UV jumping PP mat with 108 galvanized springs for good elasticity; Safety enclosure net is closely and tightly connected to galvanized steel poles with foam sleeves; PVC spring cover pad with EPE foma inside; 1pcs Heavy-duty galvanized steel ladder; all the installation tools you need	108pcs	1830mm	1pc/ctn (135x62x36cm)90kg	\$153.62