

NEW



NEW



## E50

5000mAh



Patent Design



Smart IC



Fast Charge



Charge Protection



Portable



Wide Compatibility

FEATURE

- Protection Housing Material (PC+ABS(Fire-Proof))
- Colors: Green, White, Pink & Customized 3D printing
- UL1642 Standard for Safety for Lithium Batteries
- Protection Function: Short circuit, discharge, over current

SPECIFICATION

- Battery Cell Type: High density Li-Polymer battery cells
- Input: Type-C DC 5V/2A
- Output: DC 5V/2.1A(max)
- Indicators: 4 LED indicator
- Charging Time: 3-4H
- Dimension: 128\*67\*13mm
- Net Weight: 133g

## E100

10000mAh



Patent Design



Smart IC



Fast Charge



Charge Protection



Portable



Wide Compatibility

FEATURE

- Detachable & Built in USB-C cable, no hassle of carrying cable, no worry of finding
- Protection Function: Short circuit, discharge, over current
- Protection Housing Material (PC+ABS(Fire-Proof))
- Colors: White, Pink, Green or Customized 3D printing
- UL1642 & CE Standard for Safety for Lithium Batteries

SPECIFICATION

- Battery Cell Type: High density Li-Polymer battery cells
- Input: Micro DC 5V/2A /Type-C DC 5V/2A
- Output: DC 5V/2.1A/2.4A(max)
- Indicators: 4 LED indicator
- Charging Time: 6-7H
- Dimension: 101\*66\*23mm
- Net Weight: 185g





## PD100

10000mAh



Patent Design

Smart IC

Fast Charge

Charge Protection

Portable

Wide Compatibility

### FEATURE

- Smallest, But powerful
- Type-C PD 18W input make recharge time more fast
- Automatically detects your device to deliver fastest possible charging

### SPECIFICATION

- Battery Cell Type: Li-ion battery Cells
- Input: Type-C PD DC 5V/3A, 9V/2A, 12V/1.5A(max)
- Output: Type-C DC 5V/3A, 9V/2A, 12V/1.5A(max)
- Output QC3.0 DC 5V/5V/5A, 9V/2A, 12V/1.5A(max)
- Charging Time: 3-4H
- Indication: 4 LED indicator
- Protection Function: Short circuit, over charge, discharge, over current protection
- Dimension: 75\*58\*22mm



## Elegant Power Bank for Lady



**P10**  
10000mAh

TYPE-C MICRO USB 2

Patent Design Smart IC Fast Charge Charge Protection Portable Wide Compatibility

**FEATURE**

- PC+ABS material Fireproof & Resistant
- Seamless bonding assembling craft
- Drop and shock test up to 20 times from 12M
- More safety with triple protection
- UL1642 Standard for safety for Lithium Batteries

**SPECIFICATION**

- Battery Cell Type: A grade Li-Polymer battery Cells
- Input: Micro DC 5V/2A / Type-C 5V,2A
- Output: DC 5V,21A(max)
- Indicators: 4 LED indicator
- Built in intelligent protection circuit, protected from over charging, over loading and short circuiting
- Dimension: 135\*69.5\*15mm
- Net Weight: 80g

18 | EXNR





### D5/D10/D15

5000mAh/10000mAh/15000mAh

#### FEATURE

- A-CAB5 material Fireproof & Resistant
- Seamless docking assembling craft
- Drop and shock test up to 20 times from 12M
- More safety with triple protection
- UL1642 Standard for Safety for Lithium Batteries

#### SPECIFICATION

- Battery Cell Type: High density Li-Polymer battery cells
- Micro Input: DC 5V/2A
- Type-C Input: DC 5V/2A
- Output: DC 5V/2.1A (max)
- Indicators: 4 LED lights keep you reminded of the power leftover
- Charging Time: 3-4H(5000mAh)/6-7H(10000mAh)/9-10H(15000mAh)
- Recharge Cycles: Charge to 100% Up to 500 times
- Dimension: 138\*68\*11mm/139.5\*74\*16mm/152.5\*78\*20mm



19 | BAKA

20 | BAKA



## Fabric Power Bank

21 POWER BANK




### Y80/Y110/Y150

8000mAh / 10000mAh / 15000mAh












**FEATURE**

- Protection Function: Short circuit, discharge, over current
- Protection Housing Material: Fabric cover(Fire-Proof ) comfortable touch
- Color: Light gray, Dark gray
- UL1642 Standard for Safety for Lithium Batteries

**SPECIFICATION**

- Battery Cell Type: High density Li-Polymer battery cells
- Input: Micro DC 5V,2A / Type-C 5V,2A
- Output: DC 5V,2.1A(max)
- Charging Time: 3-4H(8000mAh)6-7(10000mAh)9-10H(15000mAh)
- Recharge Cycles: Charge to 100% Up to 500 times
- Dimension: 133\*68\*13.5mm/138\*76\*17.5mm/140\*78\*23.5mm
- Net Weight: 150g/230g/245g

22 POWER BANK